

FORM PTO-1390 REV. 5-93		US DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	ATTORNEYS DOCKET NUMBER <b>P01,0318</b>
<b>TRANSMITTAL LETTER TO THE UNITED STATES DESIGNATED/ELECTED OFFICE (DO/EO/US) CONCERNING A FILING UNDER 35 U.S.C. 371</b>			U.S. APPLICATION NO. (if known, see 37 CFR 1.5) <b>09/937845</b>
INTERNATIONAL APPLICATION NO. <b>PCT/EP00/02900</b>	INTERNATIONAL FILING DATE 31 March 2000	PRIORITY DATE CLAIMED 1 April 1999	
TITLE OF INVENTION "DEVICE AND METHOD FOR PROCESSING AND PRINTING INFORMATION"			
APPLICANT(S) FOR DO/EO/US <b>Manfred WIEDEMER</b>			
Applicant herewith submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information:			
<p>1. <input checked="" type="checkbox"/> This is a <b>FIRST</b> submission of items concerning a filing under 35 U.S.C. 371.</p> <p>2. <input type="checkbox"/> This is a <b>SECOND</b> or <b>SUBSEQUENT</b> submission of items concerning a filing under 35 U.S.C. 371.</p> <p>3. <input checked="" type="checkbox"/> This express request to begin national examination procedures (35 U.S.C. 371(f)) at any time rather than delay.</p> <p>4. <input checked="" type="checkbox"/> A proper Demand for International Preliminary Examination was made by the 19th month from the earliest claimed priority date.</p> <p>5. <input checked="" type="checkbox"/> A copy of International Application as filed (35 U.S.C. 371(c)(2))</p> <p>6. <input checked="" type="checkbox"/> a. <input checked="" type="checkbox"/> is transmitted herewith (required only if not transmitted by the International Bureau). b. <input type="checkbox"/> has been transmitted by the International Bureau. c. <input type="checkbox"/> is not required, as the application was filed in the United States Receiving Office (RO/US)</p> <p>7. <input checked="" type="checkbox"/> A translation of the International Application into English (35 U.S.C. 371(c)(2)).</p> <p>8. <input checked="" type="checkbox"/> Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. §371(c)(3))</p> <p>9. <input checked="" type="checkbox"/> a. <input type="checkbox"/> are transmitted herewith (required only if not transmitted by the International Bureau). b. <input type="checkbox"/> have been transmitted by the International Bureau. c. <input type="checkbox"/> have not been made; however, the time limit for making such amendments has NOT expired. d. <input type="checkbox"/> have not been made and will not be made.</p> <p>10. <input type="checkbox"/> A translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371(c)(3)).</p> <p>11. <input type="checkbox"/> An oath or declaration of the inventor(s) (35 U.S.C. 371(c)(4)).</p> <p>12. <input type="checkbox"/> A translation of the annexes to the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. 371(c)(5)).</p> <p><b>Items 11. to 16. below concern other document(s) or information included:</b></p> <p>13. <input type="checkbox"/> An Information Disclosure Statement under 37 C.F.R. 1.97 and 1.98; (<b>PTO 1449, Prior Art, Search Report</b>).</p> <p>14. <input type="checkbox"/> An assignment document for recording. A separate cover sheet in compliance with 37 C.F.R. 3.28 and 3.31 is included. (<b>SEE ATTACHED ENVELOPE</b>)</p> <p>15. <input checked="" type="checkbox"/> A FIRST preliminary amendment. <input type="checkbox"/> A SECOND or SUBSEQUENT preliminary amendment.</p> <p>16. <input checked="" type="checkbox"/> A substitute specification &amp; marked up version of application.</p> <p>17. <input type="checkbox"/> A change of power of attorney and/or address letter.</p> <p>18. <input checked="" type="checkbox"/> Other items or information:</p> <p>a. <input checked="" type="checkbox"/> Submittal of Drawings</p> <p>b. <input checked="" type="checkbox"/> <b>EXPRESS MAIL #EL 843744158US, dated September 28, 2001.</b></p>			

INTERNATIONAL APPLICATION  
PCT/EP00/02900

ATTORNEY'S C  
P01.0318

PTO USE ONLY

\$ 860.00

\$

5

\$ 914.00

\$

\$ 914.00

1

\$ 914.00

Amount to be refunded	\$
charged	\$

- Registration Number

CUSTOMER NO. 26574

- 1 -

IN THE UNITED STATES ELECTED OFFICE  
OF THE UNITED STATES PATENT AND TRADEMARK OFFICE  
UNDER THE PATENT COOPERATION TREATY-CHAPTER II

**"PRELIMINARY AMENDMENT"**

5 APPLICANT: Manfred WIEDEMER

SERIAL NO.: EXAMINER:

FILING DATE: ART UNIT:

INTERNATIONAL APPLICATION NO.: PCT/EP00/02900

INTERNATIONAL FILING DATE: 31 March 2000

10 INVENTION: DEVICE AND METHOD FOR PROCESSING AND PRINTING  
INFORMATION

Hon. Assistant Commissioner for Patents  
Box PCT  
Washington D.C. 20231

15 SIR:

Amend the above-identified international application before entry into the national stage before the U.S. Patent & Trademark Office under 35 U.S.C. §371 as follows:

**IN THE SPECIFICATION**

20 Enclosed is a Substitute Specification that has been amended to place the International application into form for U.S. prosecution. Also enclosed is a marked up version of the specification showing the changes made to the original application which resulted in the substitute specification.

**IN THE CLAIMS**

Cancel claims 1-21 without prejudice. Add new claims 22-44 as follows:

22. A device for processing and printing information, comprising:  
at least one information storage device in which is stored information;  
at least one search device for searching the information stored in said at least one  
information storage device;  
a printer device for printing a printed copy that contains the information identified by the  
search device;  
a data network connecting said at least one information storage device and said at least one  
search device and said printer device to one another;  
said at least one search device includes a search criterion module having an input for search  
terms and a print copy scope module for defining a scope of print copy so that a  
search is implemented according to a criterion of search terms that have been input  
and a given scope of print copy.

23. A device as claimed in claim 22, further comprising:  
a formatting device connected to format information identified with said at least one search  
device for printout at said printer device.

24. A device as claimed in claim 23, wherein said printer device is a printing station  
in which said formatting device and a printer are integrated.

25. A device as claimed in claim 24, wherein said printing station includes an  
accounting module for billing usage fees for use of said at least one information storage  
device.

26. A device as claimed in claim 22, wherein said data network is one of the Internet or an intranet.

27. A device as claimed in claim 22, wherein said data network is an area network.

28. A device as claimed in claim 22, wherein said at least one information storage device includes a data bank.

29. A method for processing and printing information, comprising the steps of:  
searching information at a search station that is connected via a data network to at least one  
information storage device, said searching step searching the information in said  
information storage device according to a criterion of search terms prescribed by a  
user as well as according to a scope of a printed product defined by the user;  
formatting the information searched in said searching step in a form suitable for a printer  
device; and  
printing the information at the printer device to produce a printed product.

30. A method as claimed in claim 29, further comprising the step of:  
defining a lower and an upper limit value for a data quantity to be searched according to a  
criterion of a defined scope of the printed product; and  
setting a searched data quantity such that it lies between said lower and upper limit values.

31. A method as claimed in claim 30, wherein said lower limit value is  
approximately 10% through 20% smaller than said upper limit value.

32. A method as claimed in claim 29, further comprising the steps of:  
outputting a message of an anticipated cost of a printed copy order following  
implementation of the search at the search station; and

receiving a confirmation from a user of said printed copy order.

33. A method as claimed in claims 29, further comprising the step of:  
binding said printed copy.

34. A method as claimed in claim 29, further comprising the step of:  
disregarding search results which are beyond a scope defined for the printed product after  
complete exhaustion of the search.

35. A method as claimed in claim 29, further comprising the step of:  
determining a match criteria of individual results in a search event, said match criteria being  
proportional to a hit precision; and  
disregarding the individual results having a low match criterion in a compilation of a final  
search result.

36. A method as claimed in claim 29, further comprising the step of:  
automatically excluding ambiguities of search terms in a search event in order to achieve a  
search with a small data quantity.

37. A method as claimed in claim 29, further comprising the step of:  
considering synonyms of search terms for achieving a larger data quantity of the search  
result.

38. A method as claimed in claim 29, further comprising the step of:  
sending identified search results completely from said at least one information storage  
device to said search station from which an interrogation was generated following  
an interrogation of said information storage devices with given search terms.

39. A method as claimed in claim 37, further comprising the steps of:  
evaluating the search results in the search station.

40. A method as claimed in claim 39, wherein said evaluating step includes  
identifying data quantity and match criteria.

41. A method as claimed in claims 29, further comprising the steps of:  
sending a message to said search station from said information storage device by which the  
search had been generated following interrogation of the individual information  
storage devices with the search terms prescribed by the user, the message contains a  
particular about at least one of identified data quantity, anticipated costs and a match  
criterion for the individual results, but the information to be printed are not  
contained therein.

42. A method as claimed in claim 41, further comprising the step of:  
sending print information directly from said information storage device to said printer  
device after an order confirmation has been placed.

43. A method as claimed in claim 29, further comprising the step of:  
displaying an input mask that includes a plurality of pairs of fields at the search station for  
inputting the search terms;  
accepting the search criterion as input in one field of the pairs of fields and a search term  
for an input search criterion as input in another of the two fields.

44. A method as claimed in claim 43, wherein the fields of the search terms are  
fundamentally operated with a logical "and" operation, and at least one further field is  
provided with which the logical "and" operation can be modified into a logical "or"  
operation.

## **IN THE ABSTRACT**

Please add the following:

### **Abstract of the Disclosure**


5 The invention relates to a device and a method by means of which personalized  
printed items can be produced and printed out. The invention permits a user inexperienced  
in carrying out research to compile information in accordance with personal search criteria.  
The information found is automatically adjusted to the dimensions of the printed item set by  
the user so that said user is able to compile a personalized book containing numerous ample  
10 passages without first having to familiarize himself with a search algorithm or data bank  
structures. The invention is designed especially for use in the non-fiction domain since  
large volumes of scientific data are already stored in electronically readable data banks.  
Other applications of the invention include the compilation of sample passages from fiction  
books or the production of a customized travel guide.



**REMARKS**

The foregoing amendments to the specification and claims under Article 41 of the Patent Cooperation Treaty place the application into a form for prosecution before the U.S. Patent and Trademark Office under 35 U.S.C. §371. Accordingly, entry of these amendments before examination on the merits is hereby requested.

Respectfully submitted,



Melvin A. Robinson (reg. no. 31,870)  
Patent Department  
Schiff Hardin & Waite  
6600 Sears Tower  
Chicago, Illinois 60606  
Telephone: 312-258-5785  
**CUSTOMER NO. 26574**  
ATTORNEY FOR APPLICANT

- 1 -

IN THE UNITED STATES ELECTED OFFICE  
OF THE UNITED STATES PATENT AND TRADEMARK OFFICE  
UNDER THE PATENT COOPERATION TREATY-CHAPTER II

**"SUBMITTAL OF DRAWINGS"**

5 APPLICANT: Manfred WIEDEMER

SERIAL NO.: EXAMINER:

FILING DATE: ART UNIT:

INTERNATIONAL APPLICATION NO.: PCT/EP00/02900

INTERNATIONAL FILING DATE: 31 March 2000

10 INVENTION: DEVICE AND METHOD FOR PROCESSING AND  
PRINTING INFORMATION


Hon. Assistant Commissioner for Patents  
Box PCT  
Washington D.C. 20231

15 SIR:

Enclosed are ten sheets of drawings showing Figures 1-10 as filed in the  
original foreign application for the above-identified application. Also enclosed is  
a second set of drawings marked with the English translation of the German text.

Approval of the proposed change is hereby requested.

20 Respectfully submitted,

  
Melvin A. Robinson (reg. no. 31,870)  
Schiff Hardin & Waite  
Patent Department  
6600 Sears Tower  
Chicago, Illinois 60606  
Telephone: 312-258-5785

25

1/10




FIG. 1

2/10




FIG. 2

3/10




FIG.3

4/10




FIG.4

5/10




FIG.5

6/10

Search Criteria	
Title / search terms:	<input type="text" value="silkscreening"/>
Authors:      Name:	<input type="text" value="- not specified -"/>
Language:	<input type="text" value="German / English"/>
Publications:	<input type="text" value="1960 - 1998"/>
Key words:	<input type="text" value="Methods, machines, patents"/>

FIG.6



7/10

Scope of the Print Copy	
Table of contents:	<input checked="" type="radio"/> yes <input type="radio"/> no
List of authors:	<input checked="" type="radio"/> yes <input type="radio"/> no
Table of publishers / ISBN No.:	<input checked="" type="radio"/> yes <input type="radio"/> no
Glossary:	<input type="radio"/> yes <input checked="" type="radio"/> no
List of titles:	<input checked="" type="radio"/> yes <input type="radio"/> no
Total scope:	max. <input type="text" value="500"/> pages
Number of authors:	max. <input type="text" value="20"/>
Number of publications:	max. <input type="text" value="50"/>
Text contributions:    number:	max. <input type="text" value="10"/>
length:	max. <input type="text" value="500"/> lines
Patents:	<input type="text" value="Title and Owner"/> ▼
Image contents:	<input type="text" value="Captions only"/> ▼

FIG.7

8/10

Design	
Format:	A4 duplex ▾
Binding:	spiral binding ▾
Paper:	80g/m <sup>2</sup> , white ▾
Title Page:	<input checked="" type="checkbox"/> yes ▾ personalized ▾

FIG.8

09/937845.012002

9/10

Billing	
Order and shipping address:	<div>Mr. A. Sampleman Example Street 11 4711 Sample Town</div>
Deilvery date:	19.09.1998
Cost limit:	DM 100.-
Billing:	credit card 12345 -

FIG.9

09/937845-012866

10/10




FIG.10

10/pts

SPECIFICATIONTITLE"DEVICE AND METHOD FOR PROCESSING AND PRINTING INFORMATION"BACKGROUND OF THE INVENTIONField of the Invention

The present ~~The~~ invention is directed to a device and to a method for processing and printing information.

Description of the Related Art

During the course of the progress of information technology, information are is being made available in more and more different ways. What is probably the fastest development was has been accomplished given in the field of electronically stored information. Nonetheless, there continues to be a need to print ~~information out. The present invention particularly relates to the out information. There is a~~ need to get electronically stored information in a high-performance fashion and to supply ~~them to an~~ the information in printed form to interested ~~party printed out parties~~ easily and quickly.

A specific field has been created for this purpose, ~~what~~ which is referred to as "Print on Demand" (PoD). In this field, for example, services are offered with which pocketbooks books can be printed at specific print stations in response to an individual order. This method makes it possible that large editions of the books need not be printed and stored centrally and be delivered to the dealers from the central warehouse; rather, the dealer merely receives the information to be printed in the book in electronic form and prints ~~this out with~~

his out the information in book form with the dealer's print station. Since the dealer is usually located close to the final consumer, the dealer can offer the consumer an arbitrary book without keeping it in stock and can deliver it a short time later. For example, such a system is described under the title "Entwicklung neuer Medien-Konzepte für PoD-Dienstleister" in the periodical Deutscher Drucker No. 35/98 of 17 September 1998. Such systems also make it possible for the informational content of the pocketbooks books or, respectively, for the corresponding data to be delivered to the print station via the Internet. For example, Xerox Corp. offers a corresponding service under the trademark "Xerox Book in Time".

Compared to conventional publishing and book retailing, the advantages of such PoD systems are that the costs for transporting the books over long distances are avoided and that no costs are incurred for warehousing the books, since the books are printed just-in-time on demand, small editions can be economically published, and the number of books to be printed is independent of the size of the edition, so that an arbitrarily great number of books is printed given a corresponding demand. Moreover, this means faster delivery for the customer since the electronic communication of the respective book content via data networks can ensue in a few minutes. This is particularly true of rarely ordered books.

A software program is known under the trademark HP Web PRINTSMART, whereby information from different Internet web sites can be read out or stored and printed out as a single document with a continuous format. With this program, for example, a user can compile his the user's daily paper, which he the user fetches via the Internet and prints out on his the user's printer. The special characteristic of this program is that web pages that are

formatted for display at a picture screen are converted into a format suitable for the respective printer. This program merely reads information from web pages.

The information stored in the web page usually serves advertizing purposes and can thus serve only conditionally as an information source for a specific topic.

There are numerous electronic data banks that can cover general topics are that are specialized for specific fields, particularly occupations. Such data banks are usually only available to limited user circles who have contracted with the vendors of these data banks to the effect that they are allowed to use the data banks in exchange for a corresponding payment.

Even though enormous quantities of information are electronically stored and accessible via data networks, only selected and extremely limited circles have access to such information sources. It is thus hardly possible to get an overview of the electronically stored information for a specific topic of interest for someone who does not have such access to these information sources or who wants to be informed in a field outside his that person's specific field.

The German Patent document DE 196 51 788 A1 discloses a method for data determination and editing in information networks such as, for example, the Internet. A targeted, time-saving search for arbitrary information is supposed to be possible with this method. This method is characterized by "intelligent" search engines that, for example, eliminate redundant datasets, abort the search when the number of datasets exceeds a prescribed maximum, or a further search run is implemented when the plurality number of identified relevant datasets is higher than this limit, whereby the user or the search program

provides a further relevant search word and a second search run is started. In this method, the individual search passes are interactively implemented, as a result whereof the user respectively intervenes in the search.

The above-mentioned German Patent document DE 196 51 788 A1, further,  
discloses a training matrix with synonymous descriptors that enable a search for descriptors having the same content after an unsuccessful search. In this method, for example, the user is automatically assisted by automatic suggestions of further search terms (descriptors) in order to carry out an optimally precise search, whereby the given maximum limit of datasets should not be exceeded.

The publication "Das Patent Informationssystem PATIS", by Dr. Volker Hartung and Dr. Klaus Ströbner, German Patent and Trademark Office, May 1994, yields discloses a search system for searching patents that comprises a data network, data terminals such as, for example, search stations, archive computers, and control computers, etc. Given this search system, input masks can be employed for inputting the desired search terms.

Formulation aids for locating search terms for the data bank search with which search terms can be input into corresponding input masks are described in training documents for the patent information system DEPATIS, particularly on pages 51 and 53.

### SUMMARY OF THE INVENTION

The present The invention is based on the object of creating providing a device and a method for processing and printing information with which even a user who is inexperienced with respect to data bank queries can get an overview about the electronically



stored information for a specific topic, and the corresponding information are made available in the form of a print **printed** copy.

This object is **and others are** achieved by a device having the features of claim 1 and by a method having the features of claim 8. Advantageous developments of the invention are recited in subclaims: for processing and printing information, including one or more information storage devices; at least one search device for searching the information stored in the information storage device or devices; a printer device for printing a printed copy that contains the information identified by the search device, whereby the information storage device or devices, the search device and the printer device are connected to one another via a data network, and the search device comprises a search criterion module for the input of search terms and a print copy scope module for defining the scope of the print copy, so that the search can be implemented according to the criterion of the search terms that have been input and the given scope of the print copy.

In a preferred embodiment, a formatting device is provided for formatting the information identified with the search device for printout at the printer device. The printer device may be fashioned as a printing station in which the formatting device and a printer are integrated. As a further development, the printing station includes an accounting module for billing the usage fees for the use of the information stores. The data network can be the Internet or an intranet. Alternately, the data network is an area network. In a preferred embodiment, at least one of the information stores contains a data bank.

10  
15  
20  
25  
30  
35  
40  
45  
50  
55  
60  
65  
70  
75  
80  
85  
90  
95  
100  
105  
110  
115  
120  
125  
130  
135  
140  
145  
150  
155  
160  
165  
170  
175  
180  
185  
190  
195  
200  
205  
210  
215  
220  
225  
230  
235  
240  
245  
250  
255  
260  
265  
270  
275  
280  
285  
290  
295  
300  
305  
310  
315  
320  
325  
330  
335  
340  
345  
350  
355  
360  
365  
370  
375  
380  
385  
390  
395  
400  
405  
410  
415  
420  
425  
430  
435  
440  
445  
450  
455  
460  
465  
470  
475  
480  
485  
490  
495  
500  
505  
510  
515  
520  
525  
530  
535  
540  
545  
550  
555  
560  
565  
570  
575  
580  
585  
590  
595  
600  
605  
610  
615  
620  
625  
630  
635  
640  
645  
650  
655  
660  
665  
670  
675  
680  
685  
690  
695  
700  
705  
710  
715  
720  
725  
730  
735  
740  
745  
750  
755  
760  
765  
770  
775  
780  
785  
790  
795  
800  
805  
810  
815  
820  
825  
830  
835  
840  
845  
850  
855  
860  
865  
870  
875  
880  
885  
890  
895  
900  
905  
910  
915  
920  
925  
930  
935  
940  
945  
950  
955  
960  
965  
970  
975  
980  
985  
990  
995  
1000

The present invention also provides a method for processing and printing information that comprises the steps of: searching the information at a search station that is connected via a data network to one or more information storage devices; formatting the searched information in a form suitable for a printer device; printing the information at the printer device for produce a printed product, whereby the information stored in the information storage device or in the information storage devices are searched according to the criterion of search terms prescribed by the user as well as according to a scope of the print product defined by the user.

The method may provide that a lower and an upper limit value for the data quantity to be searched is defined according to the criterion of the defined scope of the print product; and the searched data quantity is set such that it lies between the two limit values. Preferably, the lower limit value is approximately 10% through 20% smaller than the upper limit value. Following implementation of the search at the search station, the method may provide that a cost message about the anticipated costs of the print copy is output, whereupon the user can confirm the order. In one development of the invention, the print copy is bound .

The method provides that the scope of the search defined by the scope of the print product is set such that further search results identified after complete exhaustion of the search scope are not taken into consideration. Match criteria of the individual results may be determined in the search event, the match criteria being proportional to the hit precision, whereby the individual results having a low match criterion are not



**operated with a logical “and” operation, and at least one further fields is provided with which the logical “and” operation can be modified into a logical “or” operation.**

The inventive apparatus for processing and printing information comprises at least one information storage device, a search device for searching the information stored in the information storage device and a printer device that are all connected to one another via a data network, whereby the search device comprises a search criterion module for inputting search terms and a printed copy scope module for determining the scope of the printed copy, so that a search is automatically implemented according to the criterion of the input search terms and of the determined scope of the printed copy.

Since the search device of the inventive apparatus has a search criterion module and a printed copy scope module with which the users defines the search terms and the scope of the print copy to be printed, the search device automatically carries out a search that collects enough information that the printed copy can be printed at the printer device in the predetermined scope.

This is a critical difference from known information search systems or, respectively, search devices, with which a search can in fact also be carried out according to given search criteria, whereby the scope of the search result is respectively defined only by the search criteria input by the user or is limited by a prescribed plurality of partial search results, whereby the scope of the individual partial search results is indefinite. With the known search systems or, respectively, search devices, all corresponding information should be determined insofar as possible according to the criterion of the input search terms, i.e. that as extensive as possible a search result is desired. In an interactive process using dexterous

supplementation of the search terms, experienced searchers can reduce the quantity of data determined in this way to a manageable extent, so that the search result can both be evaluated by the party that requested it and a certain demand for completeness is met.

The invention embarks upon a completely different approach, for the inventive apparatus is not intended to carry out a search that meets all demand demands for exhaustiveness but is intended to enable access to electronically stored information for the user, who is usually not an experienced searcher, to compile this information in a scope and form that can be utilized by the user and to print it as a printed copy, so that the user can interpret the information obtained in a customary way, namely by reading a printed copy that is usually bound to form a booklet or, respectively, book. This simplification as compared to the known search devices is achieved in that the user inputs his the search terms into the search criterion module only once and defines the scope of the printed copy at the print copy scope module, and the search devices then independently carries [sic] carry out the search until an amount of information or, respectively, data having the desired scope is present. The definition of the scope of the printed copy means that the data quantity to be searched is fixed independently of the plurality number of individual partial search results. As a result thereof, thus, the total amount of data to be found with a search is defined.

Different methods can be employed for limiting the amount of data. The simplest method is that the search event is aborted after a predetermined amount of data has been obtained.

Another, preferred method is that what is referred to as a match criterion is evaluated, this using a numerical value to indicate the hit precision of the search terms for the individual

search results. The coincidence of the search terms with the identified, individual result is all the greater or, respectively, the search terms input by the user are cited all the more frequently in the respective individual result the higher the numerical value of the match criterion is.

The individual results with the respectively highest match criterion are then incorporated into the printed copy, and individual results with a lower match criterion are not taken into consideration at all or are not incorporated as text but merely have their title and source incorporated into corresponding lists.

Another method for influencing the information quantity identified that can be automated is that the search device automatically determines whether the data quantity of a preliminary search result is too large or too small for the defined scope of the printed copy, whereby, given too small a data quantity, a further search that delivers a more exhaustive search result is automatically started with synonyms for the search criteria that have been input, and, given too large a data quantity of the preliminary search result, ambiguities of the search criteria are precluded, as a result whereof the data quantity obtained with the search is reduced.

The two latter methods can also be applied combined.

Other methods for influencing the searched informational scope are also possible. It is critical for the invention that information requested by a user according to the user's search criteria and having a predetermined scope are made available in printed form to even a user inexperienced in searching, so that the user can easily interpret them.

With the inventive method for processing and printing information according to **claim 8 for above-described method**, the information stored in the information storage device or,

respectively, devices are searched and printed out based on the criterion of the search terms prescribed by the user as well as based on the criterion of a scope of the printed product defined by the user.

With the inventive method, as given the above-explained inventive apparatus, the scope of the search result is defined according to the scope of the print copy defined by the user, as a result whereof it is possible -- even for a user **who is** inexperienced in searching -- to determine and print out a manageable data quantity with their predetermined search criteria.

### **BRIEF DESCRIPTION OF THE DRAWINGS**

The invention is described in greater detail below on the basis of exemplary embodiments and applied examples and on the basis of the drawings, which shows:

Figure 1 **is** a first exemplary embodiment of the apparatus for processing and printing information, shown schematically in a block circuit diagram;

Figure 2 **is** a second embodiment of the inventive apparatus for processing and printing information, shown schematically in a block circuit diagram;

Figure 3 **is** a flowchart of the inventive method;

Figure 4 **is** a flowchart showing the searching of one embodiment in detail;

Figure 5 **is** a flowchart showing the searching of a further embodiment in detail;

Figure 6 **is a view of a display screen showing** an input window for inputting the search terms;

Figure 7 **is a view of a display screen showing** an input window for inputting the scope of the print copy;

Figure 8 **is a view of a display screen showing** an input window for inputting the design of the print copy;

Figure 9 **is a view of a display screen showing** an input window for inputting the information needed for accounting; **and**

Figure 10 **is a view of a display screen showing** an input window for inputting the search terms in conformity with another embodiment.

### **DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS**

Figure 1 schematically shows a block circuit diagram of an exemplary embodiment of the inventive apparatus for processing and printing information.

This apparatus comprises two search stations 1, three information stores 2 and a printing station 3. The search stations 1, information stores 2 and the printing station 3 are connected to one another via a data network 4.

The data network 4 can be the Internet, an **intranet** or, for example, an arbitrary company network **((for example, a local area network, LAN; or a wide area network, WAN)** to which one or more information stores are connected.

The search stations 1 are usually personal computers connected to the data network 4 on which the search program of the inventive apparatus is installed.

The information stores are data stores connected to the data network 4. They can contain the greatest variety of information such as, for example, web pages and/or data banks. Since web pages are mainly provided for advertizing purposes, they are only conditionally suited for gathering information. The informational content of data banks is usually



significantly greater. There are data banks that are freely accessible to anyone. Most data banks, however, can only be used after entering into a contract with the respective data bank vendor. For example, such data banks contain scientific articles of a field relating to certain fields, patent information, articles from daily papers or economic data. The data banks that contain articles from daily papers have the advantage over a traditional newspaper that all of the articles published over a longer time span can be searched therein.

The printing station 3 comprises an accounting module 5, a formatting device 6 and a printer 7. Moreover, the printing station 3 can comprise further system components of a PoD system as described in the initially cited article, "Entwicklung neuer Medien-Konzepte für PoD-Dienstleister" in the periodical Deutscher Drucker No. 35/98 of 17 September 1998. The content of this publication is herewith incorporated by reference into the present specification.

The operator of the printing station 3, for example a PoD service vendor, has entered into one or more agreements with the information vendors (data bank vendors) that allow him or, respectively, the customers authorized by the operator of the printing station 3 to use the data banks in the information stores 2. The corresponding usage fees are usually based on the amount of data that has arisen and are forwarded from the operator of the printing station to the information vendors. The operator of the printing station finances these fees be by selling the printed copies to the users of the search stations 1. These accounts are handled with the accounting module 5, as explained in greater detail below.

The information incoming to the printing station 3 from the data network 4 are present in the greatest variety of formats (for example, IETF, W3C, PostScript, PDF, MS Word, etc.),

particularly when the data network 4 is the Internet, these formats being converted by the formatting device 6 into a format suitable for the printer 7. Further, the formatting device 6 can format the print copy in conformity with the wishes of the user of the search station 1. This is explained in greater detail later. The accounting module 5 and the formatting device 6 can be realized as software modules on a computer integrated in the printing station 3.

For example, a duplex-compatible digital printer is provided as the printer 7; this can be provided with a device for binding the printed copy. The printed copy can, for example, be held together with a spiral binding or a glued binding.

It is critical for the invention that the search station 1 comprises at least one search criterion module 8 and a print copy scope module 9. These two modules 8; and 9 can be realized as computer programs installed at the search stations 1. A user inputs the respective search terms in accord wherewith searching should be carried out in the information stores 2 at the search criterion module 8. The user defines the scope of the print copy with the assistance of the print copy scope module 9, so that the search station can automatically implement a search, whereby the search result thereof has a scope corresponding to the desired print copy. The setting of the scope of the search result is explained in greater detail later.

The search stations 1 preferably comprise further modules such as, for example, a design module 10 with which the user can define the formatting and design of the print copy. These modules 8 through 10 are embedded into the search program installed at the search station 1 that automatically implements the search and the forwarding of the search result to the printing station 3, as explained below on the basis of the flowcharts shown in Figures 3

through 5.

Figure 3 shows the main program of the search station 1. After the start of the program, an access check is first implemented in a step S1, i.e. the user must input a user identification assigned to him the user by the operator of the printing station 3 and, potentially, a password that the user himself has defined with which the user's authorization to use the search station 1 is documented.

After the end of the access check, an input window for inputting the search criteria is displayed at the picture screen of the search station 1. Such an input window is shown by way of example in Figure 6. The user can input a central title or, respectively, search term in this input window (step S2), this being "silkscreening" in the present example. This means that the user wants more detailed information about the topic "silkscreening".

In addition to this central search term, the user can input an author or, respectively, several authors, the language, the publication time and further rubrics. In the example shown in Figure 6, the author was not specified, German and English were selected as language the languages and 1960 through 1998 was selected as a publication time span. "Methods", "machines", "patents" have been input as further rubrics. These search terms thus define that the user wants German and English publications about the topic "silkscreening" from the 1960 through 1998 that relate to methods, machines and patents.

In the next step S3, the user inputs the scope of the print copy. The scope of the print copy can be defined, on the one hand, by a physical size of the print copy such as, for example, the maximum number of pages. Additionally or alternatively thereto, the scope of the printed copy can also be indirectly determined by defining the individual elements to be

printed. For example, the plurality number of text contributions and their length can thereby be defined or it can be indicated whether a table of contents, a list of authors, a list of publishers/ISBN numbers, a glossary, a list of titles, etc., should be recited in the print printed catalogue. Further, the user can indicate the way in which special publications such as, for example, patents, are to be incorporated in the print copy or whether image contents are to be presented. Given the input mask shown in Figure 7, the user has undertaken the following selection: the number of authors is limited to a maximum of twenty; the number of publications is limited to a maximum of fifty; a maximum of ten text contributions with a maximum of 500 lines is to be incorporated; only the titles and owners of patents are to be incorporated and only the captions are to be indicated for images. Further, a table of contents, list of authors, list of publishers and table of titles are to be set up. The overall scope is limited to a maximum of five hundred lines.

In the following step S4, the user inputs the design or, respectively, the format of the print copy. A corresponding input window is shown in Figure 8. Here, the user can define the format, the binding, the paper and specify whether a title page is to be output and what type of title page is selected. In the present example, the user has selected DIN A4 duplex as the format, spiral binding as the binding and 80 g/m<sup>2</sup> white as the paper. Further, a personalized title page is to be output.

The input is ended with the step S5. In step S5, the user inputs accounting-relevant data such as ordering and delivery address, the delivery time, potentially a cost limit and the type of payment. In the present case, the address is Mr. A. Sampleman, Example Street 11, 4711 Sample Town, 19 September 1998 as the delivery time and DM 100 as the cost limit

have been input. A payment with a credit card 12345 was selected as the type of payment.

After the end of the input, the program execution switches to the next step S6 with which the search is automatically implemented. A search program that is explained later is thereby started. The search program queries the individual information stores (web pages, data banks, etc.) on the basis of the search terms input by the user in that it sends the search terms input by the user together with a corresponding logical operation (and, or, not) to the individual information stores in a form that can be read by the individual information stores. The information stores 2 search their database after receipt of these search terms and respectively send the individual search results together with a corresponding cost information to the search station 1 that has send the search terms.

In step S7, the data incoming at the search station 1 are interpreted and, given a successful search, i.e. when adequate information have ~~ben~~ been found, the user receives a particular information about the height magnitude of the anticipated costs for the print copy. These costs are calculated on the basis of the cost information incoming from the information stores, whereby the costs for producing and delivering the finished print copy are also taken into consideration.

Subsequently, the user can confirm the order in step S8. With the order confirmation, the operator of the printing station 3 is given the order to print and deliver the searched print copy. Since costs are generated with the order confirmation S8, it is expedient to link these to a password, so that it is assured that an unauthorized party cannot give a corresponding print order. When no order confirmation is input or the order confirmation is refused, then the program run is ended.

When the search is not successful, i.e. enough information has not been determined, the message that the search was unsuccessful is output in step S7 instead of a cost message. The user can then input a new search.

When the order is confirmed in step S8, then the searched information are sent from the search station 1 to the printing station 3 via the data network 4 in step S9. These information contain all data to be printed in the print copy and the data necessary for the billing of the print copy such as, for example, ordering party, costs for the use of the information stores, payment mode and the like.

With the step S10, the accountings between the operator of the printing station and the operator of the information stores and the accounting between the operator of the printing station and the user are produced on the basis of the billing data that are transmitted.

Subsequently, the identified search results are formatted and designed in step S11 in the way requested for the print copy. This comprises, first, the generation of lists such as, for example, table of contents, list of authors, etc., the arrangement of the text contributions and the production of a title page, and, second, the conversion of the print formats that the data incoming at the printing station 3 exhibit into a format suitable for the printer 7.

The print copy is printed in step S12 and bound in step S13. The inventive method for processing and printing information has thus been ended, and the **print printed** copy can be delivered to the user or, respectively, to the party that ordered it. In another embodiment of the invention, the book is automatically packaged in a packing station after being bound and is handed over to a shipping system. During packaging, the delivery address input by the user is automatically printed as shipping address.

In a further modification of the invention, the information printed out in the book (or a user-specifically selectable display thereof) can be sent to the user in advance by e-mail, so that the user can get a first impression of the identified information.

Given the applied examples shown in the drawings, the party placing the order receives a book with spiral binding in a duplex method about the topic "silkscreening" that comprises publications from the years 1960 through 1998 in German and English for the rubrics "methods", "machines" and "patents". A maximum of ten text contributions with a maximum length of five hundred lines are printed in the book and a maximum of fifty publications are included. Further, the book contains a table of contents, a list of authors, a list of publishers and a table of title. The reader of this book can thus get an initial overview of the development in the field of silkscreening in the years from 1960 through 1998. Since the text contributions are limited to five hundred lines, they are usually not printed in their complete form. The reader can easily get the complete publication on the basis of the list of publishers in case the reader finds based on the passage presented in the individualized book that this contribution is of interest.

Given the above-described method, the individual results are completed transmitted to the search station 1 in step S6 in the implementation of the search. Given an alternative embodiment, only a message containing the scope of the search result, a corresponding cost information and, potentially, further information characterizing the search result such as, for example, a match criterion can be communicated from the information stores 2 to the search station 1 instead of the complete transmission of the individual results and without transmitting the actual, communicated information. In this modification of the method, the

complete information or, respectively, printing information are sent to the printing station 3 directly from the information stores 2 only after the confirmation of the order S8 in the step S9. Given this method, the information stores 2 thus output the complete information only after the order had been confirmed in step S8.

This method is particularly expedient given usage of data banks wherein the fees are due with the issuing of the information since these are only fetched when it has been clearly decided that the print copy is to be printed. The setting of the scope of the search that is to ensue in step S6 to the scope of the printed product defined by the user ensues most simply by not considering the incoming information after the maximum scope of the search or, respectively, the maximum scope for the printed product has been exhausted.

Instead of such a simple method, wherein important information are often not taken into consideration, a limitation of the scope of the search can ensue according to the search program shown in Figure 4. This search program is a sub-program for the main program shown in Figure 3 that is called in step S6.

With this sub-program, the individual information stores are first interrogated in step S14 according to the search terms input by the user. The individual results returned from the information stores 2 to the search station 1 are evaluated in the step S15, and a "match criterion" of the individual results is defined. The match criterion indicates the hit precision, i.e. the numerical value of the match criterion is proportional to the plurality number of the search terms contained in the individual results or, respectively, proportional to the plurality number of the frequency of occurrence of the search terms in the individual results.

The individual results are sorted according to the match criterion in the step S16. The



final search result is compiled in the step S17, whereby the individual results with the best match criterion are selected until the scope of the search prescribed by the defined scope of the print copy has been completely exhausted. The final search result thus contains the individual results that match best with the given search terms. As a result thereof, only the less applicable individual results are eliminated, and the more applicable individual results are printed out in the print copy.

Figure 5 shows a further flowchart of a search program that can be executed instead of or in combination with the search program shown in Figure 4. This search program is in turn called as sub-program in the step S6 of the main program. First, the individual information stores are again interrogated in step S18 for the search terms provided by the user. The size, i.e. the amount of data, of all individual results identified in step S18 is determined in step S19.

A determination is made in step S20 whether the identified amount of data is greater than an upper limit value of the search scope. The upper limit value of the search scope derives from the defined scope of the print copy. When the amount of data of the identified search results is greater than the upper limit value, then the program run switches to the step S21, with which ambiguities in the search terms are precluded. When, for example, one of the search terms is "bank", then this search term can be linked to further terms typical of "financial service providers", so that it is assured that the search result does not contain any "bank" in the sense of a river bank or the like. The information stores are interrogated again with the search terms modified in this way, i.e. the program execution goes back to step S18.

When it is found in the determination as to whether the amount of data of the search

results identified in the search is not greater than the upper limit value, then the program execution switches to the step S22, wherein a query is made as to whether the amount of data of the search results is smaller than a lower limit of the search scope defined by the scope of the print copy. When it is found in the query in step S22 that the amount of data of the search results is smaller than this lower limit value, then the program execution switches to the step S23, wherein synonyms are added to the search terms. As a result thereof, the number of search terms is expanded and the entire search is placed on a broader base. The information stores are interrogated again with these expanded search terms, i.e. the program run returns to the step S18.

When it is found in step S22 that the amount of data of the search result is greater than the lower limit value for the search scope determined by the defined scope of the **print printed** copy, this means that the amount of data of the search result lies in the desired range, so that this search program is ended.

Due to the exclusion of ambiguities in step 21, individual results of a search can be eliminated, as a result whereof the scope of the search decreases. Due to the addition of synonyms to the search terms, further, desired individual results can be determined, as a result whereof the amount of data of the search result is increased. As a result thereof, the search result can be automatically set to a desired quantity of data. Preferably, the limit values applied in steps S20 and S22 cover a specific range, whereby the lower limit value of the step S22, for example, is 10% lower than the upper limit value of the step S20.

The search programs shown in Figures 4 and 5 substantially enhance the quality of the search without a necessity of the user interactively intervening in the search. The only

interaction that the user must carry out is to confirm the order in step S8. As a result thereof, it is possible for even a user who is inexperienced in searching to implement a search with appealing quality in different information stores, particularly in different data banks, whereby the search result is output at the same time as a print copy in a form that is surveyable and can be easily interpreted by the user. For this purpose, the user needs neither general experience in searching nor knowledge of the individual data banks as needed given a manual search. The inventive method thus simply allows a compilation of individualized information and printing of this information to form a print copy such as, for example, a perfect-bound book.

The inventive method and the inventive apparatus are preferably applied for producing individualized books with specialized subject matters, since an extensive database is already stored therefor and can be fetched via data networks.

The invention, however, is not limited to this application; rather, extracts, for example from belles lettres, can be individually compiled and printed.

Another area of employment is, for example, the compilation of an individualized travel guide. Such a travel guide can be produced, for example, in that the destination area is input as main search term in the search criteria and the corresponding interests such as, for example, in the areas of culture, sports, etc., are input as further rubrics. It can be expedient in the compilation of such a travel guide that a query possibility for what are referred to as "one-time" information is created in the search criteria, i.e. for example information that are requested only once such as, for example, a map of the travel destination. The multiple printing of these information, even when they derive from different information stores, is usually undesired since, for example, the user needs only one map. Further typical one-time

information are, for example, a list of physical characteristics or a standard table.

The invention is not limited to the above-described exemplary embodiments. Within the scope of the invention, for example, it is possible to provide a single search station 1 that is arranged in the printing station 3 (Figure 2). Such an arrangement is expedient when the operator of the printing station implements the search as a service for his customers at the same time, i.e. makes the inputs that are necessary for the implementation of the search.

The invention is also not limited to the input masks shown in Figures 6 through 9. Figure 10, for example, shows a further input mask for the input of the search criteria and search terms. This input mask comprises fields 11 for search criteria and fields 12 for search terms. Respectively one field 11 for a search criterion is allocated to a field for a search term. Given the input mask shown in Figure 10, respectively four fields 11 for search criteria and four fields for search terms 12 are provided. Triangular pointers with which lists of the possible search criteria can be called are provided at the left edge of the fields 11 for the search criteria. These lists of search criteria comprise, for example, the search criteria of title, central search term, author, language, publication date, key words, etc. The search criteria can thus be defined with the fields 11, the individual search terms then being input therefor in the fields 12. The search terms input into the fields 12 are fundamentally operated with a logical "and". Sometimes, however, it can be expedient to operate two or more search terms with a logical "or". A further field 14 is provided for this purpose, the number of the other search term with which the respective search term is to be operated with an "or" being entered therein. This type of input mask is very flexible and can be utilized in all applied examples of the present invention. It is thereby clear that other known logical operations

such as, for example, "NEAR" are also employable.

The description of program modules that a person skilled in the art obviously knows must be present has been omitted from the above description of the inventive exemplary embodiments, for example a program module that sets up the connection between the data network 4 and the individual stations 1 through 3.

The areas of employment of the present invention can be modified in a great variety of ways. Thus, for example, it is possible that the inventively produced, individualized printed products are financed by inserting advertizing into the printed copy. For example, blank pages or blank columns can be automatically added to the printed text for personal notes.

Instead of or in addition to the above-described search criteria (see, for example, Figure 6), other search criteria can also be offered and selected, for example the type of publication such as news, business reports, studies, scientific publications, conference reports, newspaper articles, books, brochures, published patent applications (A), letters patent (C) and/or other suitable kinds of publication. It can also be provided that successive searches of one and the same user are interpreted by the search device or, respectively, by the search program (software), and that the operator is provided with instructions for formatting the search inquiry. A simple example of such support is the storing of all earlier search profiles and the offering of these earlier profiles given a new search. The support can go so far that the search program interactively queries the search criteria from the user, whereby further queries ensue dependent on an input. When, for example, the type of literature "patent publication" is sought, then an interactive query can be carried out as to whether the search is for "granted patents", for "published patent applications" or "unspecified".

The inventive method can, further, be supported by a search expert system that in turn comprises an autonomous program (software) as well as a special data bank. In particular, the expert system can be utilized for the exclusion of the ambiguities (step S21) described in Figure 5. When banks in the sense of financial services providers are asked for in the above-described example, then the expert system consults typical financial expressions such as “money”, “stock exchange”, “stock share”. When a publication contains at least one of the stored, typical concepts, then the publication is selected; otherwise, it is rejected.

Further logical reviews of the articles can ensue in addition to such topic-specific terms deposited in the expert system; for example, the expert system can automatically select certain information stores (data banks) that are deposited as relevant for the aggregate topic that has been optimally input by the user (for example, financial services or travel or electronics or mechanical engineering).

The described software programs of the invention can be stored on known data carriers such as diskettes, magnetic tapes, CD ROMs, ROM memories, EPROM memories or the like or, as datafiles, can be rerecorded from such stores, for example from a hard disk, onto a different storage medium via a data network (for example, via the Internet).

The invention can be summarized in brief as follows: It is directed to an apparatus and to a method with which individualized printed products can be generated and printed.

The invention allows a person inexperienced in searching to compile information according to personal search terms, whereby the amount of information thereby determined is automatically adapted to the scope of the printed product previously defined by the user. Without being confronted in detail with a search algorithm or data ~~ban~~ bank structures, the

user can thus compile a personal book with a plurality of extracts.

The invention is particularly provided for application in the field of books having specialized subject matters since a broad spectrum of scientific data are already stored in electronically readable data banks. Further applications of the invention are the compilation of extracts in the field of belles lettres or the generation of a personal travel guide.

#### List of Reference Characters

1 search station

2 information store

3 printing station

4 data network

5 accounting module

6 formatting device

7 printer

8 search criterion module

9 print copy scope module

10 design module

11 field for the search criterion

12 field for the search term

13 pointer

14 field for OR operation

#### Method Steps

- S1 access check
- S2 input of the search terms
- S3 input of the scope of the print copy
- S4 input of the design or, respectively, of the format of the print copy
- 5 S5 input of accounting data
- S6 search
- S7 output of the cost message
- S8 order confirmation
- S9 sending the information from the search station to the printing station
- 10 S10 billings
- S11 design and formatting of the search result
- S12 printing
- S13 binding
- S14 interrogation of the individual information stores
- 15 S15 determination of the match criteria of the individual results
- S16 sorting the individual results according to the match criterion
- S17 compiling the final search result
- S18 interrogating the individual information stores
- S19 determination of the data quantity of the search result
- 20 S20 is the data quantity of the search result greater than an upper limit value?
- S21 exclusion of ambiguities
- S22 is the data quantity of the search below a lower limit value?



S23-adding synonyms to the search terms Although other modifications and changes may be suggested by those skilled in the art, it is the intention of the inventors to embody within the patent warranted hereon all changes and modifications as reasonably and properly come within the scope of their contribution to the art.

10/pts

## SPECIFICATION

## TITLE

"DEVICE AND METHOD FOR PROCESSING AND PRINTING INFORMATION"

## BACKGROUND OF THE INVENTION

## 5 Field of the Invention

The present invention is directed to a device and to a method for processing and printing information.

## Description of the Related Art

During the course of the progress of information technology, information is being made available in more and more different ways. What is probably the fastest development has been accomplished in the field of electronically stored information. Nonetheless, there continues to be a need to print out information. There is a need to get electronically stored information in a high-performance fashion and to supply the information in printed form to interested parties easily and quickly.

15 A specific field has been created for this purpose, which is referred to as "Print on Demand" (PoD). In this field, for example, services are offered with which books can be printed at specific print stations in response to an individual order. This method makes it possible that large editions of the books need not be printed and stored centrally and be delivered to the dealers from the central warehouse; rather, the dealer merely receives the  
20 information to be printed in the book in electronic form and prints out the information in book form with the dealer's print station. Since the dealer is usually located close to the final

consumer, the dealer can offer the consumer an arbitrary book without keeping it in stock and can deliver it a short time later. For example, such a system is described under the title “Entwicklung neuer Medien-Konzepte für PoD-Dienstleister” in the periodical Deutscher Drucker No. 35/98 of 17 September 1998. Such systems also make it possible for the informational content of the books or, respectively, for the corresponding data to be delivered to the print station via the Internet. For example, Xerox Corp. offers a corresponding service under the trademark “Xerox Book in Time”.

Compared to conventional publishing and book retailing, the advantages of such PoD systems are that the costs for transporting the books over long distances are avoided and that no costs are incurred for warehousing the books, since the books are printed just-in-time on demand, small editions can be economically published, and the number of books to be printed is independent of the size of the edition, so that an arbitrarily great number of books is printed given a corresponding demand. Moreover, this means faster delivery for the customer since the electronic communication of the respective book content via data networks can ensue in a few minutes. This is particularly true of rarely ordered books.

A software program is known under the trademark HP Web PRINTSMART, whereby information from different Internet web sites can be read out or stored and printed out as a single document with a continuous format. With this program, for example, a user can compile the user’s daily paper, which the user fetches via the Internet and prints out on the user’s printer. The special characteristic of this program is that web pages that are formatted for display at a picture screen are converted into a format suitable for the printer. This program merely reads information from web pages.

The information stored in the web page usually serves advertizing purposes and can thus serve only conditionally as an information source for a specific topic.

There are numerous electronic data banks that can cover general topics are that are specialized for specific fields, particularly occupations. Such data banks are usually only  
5 available to limited user circles who have contracted with the vendors of these data banks to the effect that they are allowed to use the data banks in exchange for a corresponding payment.

Even though enormous quantities of information are electronically stored and accessible via data networks, only selected and extremely limited circles have access to such information sources. It is thus hardly possible to get an overview of the electronically stored information for a specific topic of interest for someone who does not have such access to these information sources or who wants to be informed in a field outside that person's specific field.

The German Patent document DE 196 51 788 A1 discloses a method for data  
15 determination and editing in information networks such as, for example, the Internet. A targeted, time-saving search for arbitrary information is supposed to be possible with this method. This method is characterized by "intelligent" search engines that, for example, eliminate redundant datasets, abort the search when the number of datasets exceeds a prescribed maximum, or a further search run is implemented when the number of identified  
20 relevant datasets is higher than this limit, whereby the user or the search program provides a further relevant search word and a second search run is started. In this method, the individual search passes are interactively implemented, as a result whereof the user respectively

intervenes in the search.

The above-mentioned German Patent document DE 196 51 788 A1, further, discloses a training matrix with synonymous descriptors that enable a search for descriptors having the same content after an unsuccessful search. In this method, for example, the user is automatically assisted by automatic suggestions of further search terms (descriptors) in order to carry out an optimally precise search, whereby the given maximum limit of datasets should not be exceeded.

The publication "Das Patent Informationssystem PATIS", by Dr. Volker Hartung and Dr. Klaus Strößner, German Patent and Trademark Office, May 1994, discloses a search system for searching patents that comprises a data network, data terminals such as, for example, search stations, archive computers, and control computers, etc. Given this search system, input masks can be employed for inputting the desired search terms.

Formulation aids for locating search terms for the data bank search with which search terms can be input into corresponding input masks are described in training documents for the patent information system DEPATIS, particularly on pages 51 and 53.

## SUMMARY OF THE INVENTION

The present invention is based on the object of providing a device and a method for processing and printing information with which even a user who is inexperienced with respect to data bank queries can get an overview about the electronically stored information for a specific topic, and the corresponding information are made available in the form of a printed copy.

This object and others are achieved by a device for processing and printing information, including one or more information storage devices; at least one search device for searching the information stored in the information storage device or devices; a printer device for printing a printed copy that contains the information identified by the search device, 5 whereby the information storage device or devices, the search device and the printer device are connected to one another via a data network, and the search device comprises a search criterion module for the input of search terms and a print copy scope module for defining the scope of the print copy, so that the search can be implemented according to the criterion of the search terms that have been input and the given scope of the print copy.

In a preferred embodiment, a formatting device is provided for formatting the information identified with the search device for printout at the printer device. The printer device may be fashioned as a printing station in which the formatting device and a printer are integrated. As a further development, the printing station includes an accounting module for billing the usage fees for the use of the information stores. The data network can be the 10 Internet or an intranet. Alternately, the data network is an area network. In a preferred embodiment, at least one of the information stores contains a data bank.

The present invention also provides a method for processing and printing information that comprises the steps of: searching the information at a search station that is connected via a data network to one or more information storage devices; formatting the searched 15 information in a form suitable for a printer device; printing the information at the printer device for produce a printed product, whereby the information stored in the information storage device or in the information storage devices are searched according to the criterion of

search terms prescribed by the user as well as according to a scope of the print product defined by the user.

The method may provide that a lower and an upper limit value for the data quantity to be searched is defined according to the criterion of the defined scope of the print product; and the searched data quantity is set such that it lies between the two limit values. Preferably, the lower limit value is approximately 10% through 20% smaller than the upper limit value. Following implementation of the search at the search station, the method may provide that a cost message about the anticipated costs of the print copy is output, whereupon the user can confirm the order. In one development of the invention, the print copy is bound .

The method provides that the scope of the search defined by the scope of the print product is set such that further search results identified after complete exhaustion of the search scope are not taken into consideration. Match criteria of the individual results may be determined in the search event, the match criteria being proportional to the hit precision, whereby the individual results having a low match criterion are not taken into consideration in the compilation of the final search result. Ambiguities of the search terms are automatically excluded in the search event in order to achieve a search with a small data quantity or synonyms of the search terms are taken into consideration for achieving a larger data quantity of the search result. Preferably, following an interrogation of the information stores with the given search terms, the identified search results are sent completely from the information stores to the search station from which the interrogation was generated. Specifically, the search results are evaluated in the search station, i.e. that, for example, their data quantity, the match criteria and the like are identified.

In another embodiment, following the interrogation of the individual information storage devices with the search terms prescribed by the user, the information storage device sends a message to the search station by which the search had been generated, whereby the message contains particular information about the identified data quantity, the anticipated costs and/or a match criterion for the individual results, but the information to be printed is not contained therein. As an additional development, the results are sent to the printer device after an order confirmation.

An input mask that includes a plurality of pairs of fields is displayed at the search station for inputting the search terms, whereby the search criterion can be input in one field of the pairs of fields, and the search term for the input search criterion can be input in the other of the two fields. The fields of the search terms are preferably operated with a logical "and" operation, and at least one further fields is provided with which the logical "and" operation can be modified into a logical "or" operation.

The inventive apparatus for processing and printing information comprises at least one information storage device, a search device for searching the information stored in the information storage device and a printer device that are all connected to one another via a data network, whereby the search device comprises a search criterion module for inputting search terms and a printed copy scope module for determining the scope of the printed copy, so that a search is automatically implemented according to the criterion of the input search terms and of the determined scope of the printed copy.

Since the search device of the inventive apparatus has a search criterion module and a printed copy scope module with which the users defines the search terms and the scope of the



print copy to be printed, the search device automatically carries out a search that collects enough information that the printed copy can be printed at the printer device in the predetermined scope.

This is a critical difference from known information search systems or, respectively, search devices, with which a search can in fact also be carried out according to given search criteria, whereby the scope of the search result is respectively defined only by the search criteria input by the user or is limited by a prescribed plurality of partial search results, whereby the scope of the individual partial search results is indefinite. With the known search systems or, respectively, search devices, all corresponding information should be determined insofar as possible according to the criterion of the input search terms, i.e. that as extensive as possible a search result is desired. In an interactive process using dexterous supplementation of the search terms, experienced searchers can reduce the quantity of data determined in this way to a manageable extent, so that the search result can both be evaluated by the party that requested it and a certain demand for completeness is met.

The invention embarks upon a completely different approach, for the inventive apparatus is not intended to carry out a search that meets all demands for exhaustiveness but is intended to enable access to electronically stored information for the user, who is usually not an experienced searcher, to compile this information in a scope and form that can be utilized by the user and to print it as a printed copy, so that the user can interpret the information obtained in a customary way, namely by reading a printed copy that is usually bound to form a booklet or, respectively, book. This simplification as compared to the known search devices is achieved in that the user inputs the search terms into the search

criterion module only once and defines the scope of the printed copy at the print copy scope module, and the search devices then independently carry out the search until an amount of information or, respectively, data having the desired scope is present. The definition of the scope of the printed copy means that the data quantity to be searched is fixed independently of the number of individual partial search results. As a result thereof, thus, the total amount of data to be found with a search is defined.

Different methods can be employed for limiting the amount of data. The simplest method is that the search event is aborted after a predetermined amount of data has been obtained.

Another, preferred method is that what is referred to as a match criterion is evaluated, this using a numerical value to indicate the hit precision of the search terms for the individual search results. The coincidence of the search terms with the identified, individual result is all the greater or, respectively, the search terms input by the user are cited all the more frequently in the respective individual result the higher the numerical value of the match criterion is. The individual results with the respectively highest match criterion are then incorporated into the printed copy, and individual results with a lower match criterion are not taken into consideration at all or are not incorporated as text but merely have their title and source incorporated into corresponding lists.

Another method for influencing the information quantity identified that can be automated is that the search device automatically determines whether the data quantity of a preliminary search result is too large or too small for the defined scope of the printed copy, whereby, given too small a data quantity, a further search that delivers a more exhaustive

search result is automatically started with synonyms for the search criteria that have been input, and, given too large a data quantity of the preliminary search result, ambiguities of the search criteria are precluded, as a result whereof the data quantity obtained with the search is reduced.

5           The two latter methods can also be applied combined.

Other methods for influencing the searched informational scope are also possible. It is critical for the invention that information requested by a user according to the user's search criteria and having a predetermined scope are made available in printed form to even a user inexperienced in searching, so that the user can easily interpret them.

10           With the inventive method for processing and printing information according to for above-described method, the information stored in the information storage device or, respectively, devices are searched and printed out based on the criterion of the search terms prescribed by the user as well as based on the criterion of a scope of the printed product defined by the user.

15           With the inventive method, as given the above-explained inventive apparatus, the scope of the search result is defined according to the scope of the print copy defined by the user, as a result whereof it is possible -- even for a user who is inexperienced in searching -- to determine and print out a manageable data quantity with their predetermined search criteria.

## 20                           BRIEF DESCRIPTION OF THE DRAWINGS

The invention is described in greater detail below on the basis of exemplary

embodiments and applied examples and on the basis of the drawings.

Figure 1 is a first exemplary embodiment of the apparatus for processing and printing information, shown schematically in a block circuit diagram;

Figure 2 is a second embodiment of the inventive apparatus for processing and printing information, shown schematically in a block circuit diagram;

Figure 3 is a flowchart of the inventive method;

Figure 4 is a flowchart showing the searching of one embodiment in detail;

Figure 5 is a flowchart showing the searching of a further embodiment in detail;

Figure 6 is a view of a display screen showing an input window for inputting the search terms;

Figure 7 is a view of a display screen showing an input window for inputting the scope of the print copy;

Figure 8 is a view of a display screen showing an input window for inputting the design of the print copy;

Figure 9 is a view of a display screen showing an input window for inputting the information needed for accounting; and

Figure 10 is a view of a display screen showing an input window for inputting the search terms in conformity with another embodiment.

#### DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

Figure 1 schematically shows a block circuit diagram of an exemplary embodiment of the inventive apparatus for processing and printing information.

This apparatus comprises two search stations 1, three information stores 2 and a printing station 3. The search stations 1, information stores 2 and the printing station 3 are connected to one another via a data network 4.

The data network 4 can be the Internet, an intranet or, for example, an arbitrary company network (for example, a local area network, LAN, or a wide area network, WAN) to which one or more information stores are connected.

The search stations 1 are usually personal computers connected to the data network 4 on which the search program of the inventive apparatus is installed.

The information stores are data stores connected to the data network 4. They can contain the greatest variety of information such as, for example, web pages and/or data banks. Since web pages are mainly provided for advertizing purposes, they are only conditionally suited for gathering information. The informational content of data banks is usually significantly greater. There are data banks that are freely accessible to anyone. Most data banks, however, can only be used after entering into a contract with the respective data bank vendor. For example, such data banks contain scientific articles relating to certain fields, patent information, articles from daily papers or economic data. The data banks that contain articles from daily papers have the advantage over a traditional newspaper that all of the articles published over a longer time span can be searched therein.

The printing station 3 comprises an accounting module 5, a formatting device 6 and a printer 7. Moreover, the printing station 3 can comprise further system components of a PoD system as described in the initially cited article, "Entwicklung neuer Medien-Konzepte für PoD-Dienstleister" in the periodical Deutscher Drucker No. 35/98 of 17 September 1998.

The content of this publication is herewith incorporated by reference into the present specification.

The operator of the printing station 3, for example a PoD service vendor, has entered into one or more agreements with the information vendors (data bank vendors) that allow him or, respectively, the customers authorized by the operator of the printing station 3 to use the data banks in the information stores 2. The corresponding usage fees are usually based on the amount of data that has arisen and are forwarded from the operator of the printing station to the information vendors. The operator of the printing station finances these fees by selling the printed copies to the users of the search stations 1. These accounts are handled with the accounting module 5, as explained in greater detail below.

The information incoming to the printing station 3 from the data network 4 are present in the greatest variety of formats (for example, IETF, W3C, PostScript, PDF, MS Word, etc.), particularly when the data network 4 is the Internet, these formats being converted by the formatting device 6 into a format suitable for the printer 7. Further, the formatting device 6 can format the print copy in conformity with the wishes of the user of the search station 1. This is explained in greater detail later. The accounting module 5 and the formatting device 6 can be realized as software modules on a computer integrated in the printing station 3.

For example, a duplex-compatible digital printer is provided as the printer 7; this can be provided with a device for binding the printed copy. The printed copy can, for example, be held together with a spiral binding or a glued binding.

It is critical for the invention that the search station 1 comprises at least one search criterion module 8 and a print copy scope module 9. These two modules 8 and 9 can be

realized as computer programs installed at the search stations 1. A user inputs the respective search terms in accord wherewith searching should be carried out in the information stores 2 at the search criterion module 8. The user defines the scope of the print copy with the assistance of the print copy scope module 9, so that the search station can automatically  
5 implement a search, whereby the search result thereof has a scope corresponding to the desired print copy. The setting of the scope of the search result is explained in greater detail later.

The search stations 1 preferably comprise further modules such as, for example, a design module 10 with which the user can define the formatting and design of the print copy. These modules 8 through 10 are embedded into the search program installed at the search station 1 that automatically implements the search and the forwarding of the search result to the printing station 3, as explained below on the basis of the flowcharts shown in Figures 3 through 5.

Figure 3 shows the main program of the search station 1. After the start of the program, an access check is first implemented in a step S1, i.e. the user must input a user identification assigned to the user by the operator of the printing station 3 and, potentially, a password that the user himself has defined with which the user's authorization to use the search station 1 is documented.

After the end of the access check, an input window for inputting the search criteria is displayed at the picture screen of the search station 1. Such an input window is shown by way of example in Figure 6. The user can input a central title or, respectively, search term in this input window (step S2), this being "silkscreening" in the present example. This means

that the user wants more detailed information about the topic “silkscreening”.

In addition to this central search term, the user can input an author or, respectively, several authors, the language, the publication time and further rubrics. In the example shown in Figure 6, the author was not specified, German and English were selected as the languages and 1960 through 1998 was selected as a publication time span. “Methods”, “machines”, “patents” have been input as further rubrics. These search terms thus define that the user wants German and English publications about the topic “silkscreening” from the 1960 through 1998 that relate to methods, machines and patents.

In the next step S3, the user inputs the scope of the print copy. The scope of the print copy can be defined, on the one hand, by a physical size of the print copy such as, for example, the maximum number of pages. Additionally or alternatively thereto, the scope of the printed copy can also be indirectly determined by defining the individual elements to be printed. For example, the number of text contributions and their length can thereby be defined or it can be indicated whether a table of contents, a list of authors, a list of publishers/ISBN numbers, a glossary, a list of titles, etc., should be recited in the printed catalogue. Further, the user can indicate the way in which special publications such as, for example, patents, are to be incorporated in the print copy or whether image contents are to be presented. Given the input mask shown in Figure 7, the user has undertaken the following selection: the number of authors is limited to a maximum of twenty; the number of publications is limited to a maximum of fifty; a maximum of ten text contributions with a maximum of 500 lines is to be incorporated; only the titles and owners of patents are to be incorporated and only the captions are to be indicated for images. Further, a table of contents,



list of authors, list of publishers and table of titles are to be set up. The overall scope is limited to a maximum of five hundred lines.

In the following step S4, the user inputs the design or, respectively, the format of the print copy. A corresponding input window is shown in Figure 8. Here, the user can define the format, the binding, the paper and specify whether a title page is to be output and what type of title page is selected. In the present example, the user has selected DIN A4 duplex as the format, spiral binding as the binding and 80 g/m<sup>2</sup> white as the paper. Further, a personalized title page is to be output.

The input is ended with the step S5. In step S5, the user inputs accounting-relevant data such as ordering and delivery address, the delivery time, potentially a cost limit and the type of payment. In the present case, the address is Mr. A. Sampleman, Example Street 11, 4711 Sample Town, 19 September 1998 as the delivery time and DM 100 as the cost limit have been input. A payment with a credit card 12345 was selected as the type of payment.

After the end of the input, the program execution switches to the next step S6 with which the search is automatically implemented. A search program that is explained later is thereby started. The search program queries the individual information stores (web pages, data banks, etc.) on the basis of the search terms input by the user in that it sends the search terms input by the user together with a corresponding logical operation (and, or, not) to the individual information stores in a form that can be read by the individual information stores.

The information stores 2 search their database after receipt of these search terms and respectively send the individual search results together with a corresponding cost information to the search station 1 that has send the search terms.

In step S7, the data incoming at the search station 1 are interpreted and, given a successful search, i.e. when adequate information have been found, the user receives particular information about the magnitude of the anticipated costs for the print copy. These costs are calculated on the basis of the cost information incoming from the information stores, whereby the costs for producing and delivering the finished print copy are also taken into consideration.

Subsequently, the user can confirm the order in step S8. With the order confirmation, the operator of the printing station 3 is given the order to print and deliver the searched print copy. Since costs are generated with the order confirmation S8, it is expedient to link these to a password, so that it is assured that an unauthorized party cannot give a corresponding print order. When no order confirmation is input or the order confirmation is refused, then the program run is ended.

When the search is not successful, i.e. enough information has not been determined, the message that the search was unsuccessful is output in step S7 instead of a cost message. The user can then input a new search.

When the order is confirmed in step S8, then the searched information are sent from the search station 1 to the printing station 3 via the data network 4 in step S9. These information contain all data to be printed in the print copy and the data necessary for the billing of the print copy such as, for example, ordering party, costs for the use of the information stores, payment mode and the like.

With the step S10, the accountings between the operator of the printing station and the operator of the information stores and the accounting between the operator of the printing

station and the user are produced on the basis of the billing data that are transmitted.

Subsequently, the identified search results are formatted and designed in step S11 in the way requested for the print copy. This comprises, first, the generation of lists such as, for example, table of contents, list of authors, etc., the arrangement of the text contributions and the production of a title page, and, second, the conversion of the print formats that the data incoming at the printing station 3 exhibit into a format suitable for the printer 7.

The print copy is printed in step S12 and bound in step S13. The inventive method for processing and printing information has thus been ended, and the printed copy can be delivered to the user or, respectively, to the party that ordered it. In another embodiment of the invention, the book is automatically packaged in a packing station after being bound and is handed over to a shipping system. During packaging, the delivery address input by the user is automatically printed as shipping address.

In a further modification of the invention, the information printed out in the book (or a user-specifically selectable display thereof) can be sent to the user in advance by e-mail, so that the user can get a first impression of the identified information.

Given the applied examples shown in the drawings, the party placing the order receives a book with spiral binding in a duplex method about the topic "silkscreening" that comprises publications from the years 1960 through 1998 in German and English for the rubrics "methods", "machines" and "patents". A maximum of ten text contributions with a maximum length of five hundred lines are printed in the book and a maximum of fifty publications are included. Further, the book contains a table of contents, a list of authors, a list of publishers and a table of title. The reader of this book can thus get an initial overview

of the development in the field of silkscreening in the years from 1960 through 1998. Since the text contributions are limited to five hundred lines, they are usually not printed in their complete form. The reader can easily get the complete publication on the basis of the list of publishers in case the reader finds based on the passage presented in the individualized book that this contribution is of interest.

Given the above-described method, the individual results are completed transmitted to the search station 1 in step S6 in the implementation of the search. Given an alternative embodiment, only a message containing the scope of the search result, a corresponding cost information and, potentially, further information characterizing the search result such as, for example, a match criterion can be communicated from the information stores 2 to the search station 1 instead of the complete transmission of the individual results and without transmitting the actual, communicated information. In this modification of the method, the complete information or, respectively, printing information are sent to the printing station 3 directly from the information stores 2 only after the confirmation of the order S8 in the step S9. Given this method, the information stores 2 thus output the complete information only after the order had been confirmed in step S8.

This method is particularly expedient given usage of data banks wherein the fees are due with the issuing of the information since these are only fetched when it has been clearly decided that the print copy is to be printed. The setting of the scope of the search that is to ensue in step S6 to the scope of the printed product defined by the user ensues most simply by not considering the incoming information after the maximum scope of the search or, respectively, the maximum scope for the printed product has been exhausted.

Instead of such a simple method, wherein important information are often not taken into consideration, a limitation of the scope of the search can ensue according to the search program shown in Figure 4. This search program is a sub-program for the main program shown in Figure 3 that is called in step S6.

With this sub-program, the individual information stores are first interrogated in step S14 according to the search terms input by the user. The individual results returned from the information stores 2 to the search station 1 are evaluated in the step S15, and a “match criterion” of the individual results is defined. The match criterion indicates the hit precision, i.e. the numerical value of the match criterion is proportional to the number of the search terms contained in the individual results or, respectively, proportional to the number of the frequency of occurrence of the search terms in the individual results.

The individual results are sorted according to the match criterion in the step S16. The final search result is compiled in the step S17, whereby the individual results with the best match criterion are selected until the scope of the search prescribed by the defined scope of the print copy has been completely exhausted. The final search result thus contains the individual results that match best with the given search terms. As a result thereof, only the less applicable individual results are eliminated, and the more applicable individual results are printed out in the print copy.

Figure 5 shows a further flowchart of a search program that can be executed instead of or in combination with the search program shown in Figure 4. This search program is in turn called as sub-program in the step S6 of the main program. First, the individual information stores are again interrogated in step S18 for the search terms provided by the user. The size,

i.e. the amount of data, of all individual results identified in step S18 is determined in step S19.

A determination is made in step S20 whether the identified amount of data is greater than an upper limit value of the search scope. The upper limit value of the search scope  
5 derives from the defined scope of the print copy. When the amount of data of the identified search results is greater than the upper limit value, then the program run switches to the step S21, with which ambiguities in the search terms are precluded. When, for example, one of the search terms is “bank”, then this search term can be linked to further terms typical of “financial service providers”, so that it is assured that the search result does not contain any  
10 “bank” in the sense of a river bank or the like. The information stores are interrogated again with the search terms modified in this way, i.e. the program execution goes back to step S18.

When it is found in the determination as to whether the amount of data of the search results identified in the search is not greater than the upper limit value, then the program execution switches to the step S22, wherein a query is made as to whether the amount of data  
15 of the search results is smaller than a lower limit of the search scope defined by the scope of the print copy. When it is found in the query in step S22 that the amount of data of the search results is smaller than this lower limit value, then the program execution switches to the step S23, wherein synonyms are added to the search terms. As a result thereof, the number of search terms is expanded and the entire search is placed on a broader base. The information  
20 stores are interrogated again with these expanded search terms, i.e. the program run returns to the step S18.

When it is found in step S22 that the amount of data of the search result is greater than

the lower limit value for the search scope determined by the defined scope of the printed copy, this means that the amount of data of the search result lies in the desired range, so that this search program is ended.

Due to the exclusion of ambiguities in step 21, individual results of a search can be eliminated, as a result whereof the scope of the search decreases. Due to the addition of synonyms to the search terms, further, desired individual results can be determined, as a result whereof the amount of data of the search result is increased. As a result thereof, the search result can be automatically set to a desired quantity of data. Preferably, the limit values applied in steps S20 and S22 cover a specific range, whereby the lower limit value of the step S22, for example, is 10% lower than the upper limit value of the step S20.

The search programs shown in Figures 4 and 5 substantially enhance the quality of the search without a necessity of the user interactively intervening in the search. The only interaction that the user must carry out is to confirm the order in step S8. As a result thereof, it is possible for even a user who is inexperienced in searching to implement a search with appealing quality in different information stores, particularly in different data banks, whereby the search result is output at the same time as a print copy in a form that is surveyable and can be easily interpreted by the user. For this purpose, the user needs neither general experience in searching nor knowledge of the individual data banks as needed given a manual search. The inventive method thus simply allows a compilation of individualized information and printing of this information to form a print copy such as, for example, a perfect-bound book.

The inventive method and the inventive apparatus are preferably applied for producing individualized books with specialized subject matters, since an extensive database

is already stored therefor and can be fetched via data networks.

The invention, however, is not limited to this application; rather, extracts, for example from belles lettres, can be individually compiled and printed.

Another area of employment is, for example, the compilation of an individualized travel guide. Such a travel guide can be produced, for example, in that the destination area is input as main search term in the search criteria and the corresponding interests such as, for example, in the areas of culture, sports, etc., are input as further rubrics. It can be expedient in the compilation of such a travel guide that a query possibility for what are referred to as “one-time” information is created in the search criteria, i.e. for example information that are requested only once such as, for example, a map of the travel destination. The multiple printing of these information, even when they derive from different information stores, is usually undesired since, for example, the user needs only one map. Further typical one-time information are, for example, a list of physical characteristics or a standard table.

The invention is not limited to the above-described exemplary embodiments. Within the scope of the invention, for example, it is possible to provide a single search station 1 that is arranged in the printing station 3 (Figure 2). Such an arrangement is expedient when the operator of the printing station implements the search as a service for his customers at the same time, i.e. makes the inputs that are necessary for the implementation of the search.

The invention is also not limited to the input masks shown in Figures 6 through 9. Figure 10, for example, shows a further input mask for the input of the search criteria and search terms. This input mask comprises fields 11 for search criteria and fields 12 for search terms. Respectively one field 11 for a search criterion is allocated to a field for a search term.



Given the input mask shown in Figure 10, respectively four fields 11 for search criteria and four fields for search terms 12 are provided. Triangular pointers with which lists of the possible search criteria can be called are provided at the left edge of the fields 11 for the search criteria. These lists of search criteria comprise, for example, the search criteria of title, central search term, author, language, publication date, key words, etc. The search criteria can thus be defined with the fields 11, the individual search terms then being input therefor in the fields 12. The search terms input into the fields 12 are fundamentally operated with a logical "and". Sometimes, however, it can be expedient to operate two or more search terms with a logical "or". A further field 14 is provided for this purpose, the number of the other search term with which the respective search term is to be operated with an "or" being entered thereinto. This type of input mask is very flexible and can be utilized in all applied examples of the present invention. It is thereby clear that other known logical operations such as, for example, "NEAR" are also employable.

The description of program modules that a person skilled in the art obviously knows must be present has been omitted from the above description of the inventive exemplary embodiments, for example a program module that sets up the connection between the data network 4 and the individual stations 1 through 3.

The areas of employment of the present invention can be modified in a great variety of ways. Thus, for example, it is possible that the inventively produced, individualized printed products are financed by inserting advertizing into the printed copy. For example, blank pages or blank columns can be automatically added to the printed text for personal notes.

Instead of or in addition to the above-described search criteria (see, for example,

Figure 6), other search criteria can also be offered and selected, for example the type of publication such as news, business reports, studies, scientific publications, conference reports, newspaper articles, books, brochures, published patent applications (A), letters patent (C) and/or other suitable kinds of publication. It can also be provided that successive searches of one and the same user are interpreted by the search device or, respectively, by the search program (software), and that the operator is provided with instructions for formatting the search inquiry. A simple example of such support is the storing of all earlier search profiles and the offering of these earlier profiles given a new search. The support can go so far that the search program interactively queries the search criteria from the user, whereby further queries ensue dependent on an input. When, for example, the type of literature "patent publication" is sought, then an interactive query can be carried out as to whether the search is for "granted patents", for "published patent applications" or "unspecified".

The inventive method can, further, be supported by a search expert system that in turn comprises an autonomous program (software) as well as a special data bank. In particular, the expert system can be utilized for the exclusion of the ambiguities (step S21) described in Figure 5. When banks in the sense of financial services providers are asked for in the above-described example, then the expert system consults typical financial expressions such as "money", "stock exchange", "stock share". When a publication contains at least one of the stored, typical concepts, then the publication is selected; otherwise, it is rejected.

Further logical reviews of the articles can ensue in addition to such topic-specific terms deposited in the expert system; for example, the expert system can automatically select certain information stores (data banks) that are deposited as relevant for the aggregate topic

that has been optimally input by the user (for example, financial services or travel or electronics or mechanical engineering).

The described software programs of the invention can be stored on known data carriers such as diskettes, magnetic tapes, CD ROMs, ROM memories, EPROM memories or the like or, as datafiles, can be rerecorded from such stores, for example from a hard disk, onto a different storage medium via a data network (for example, via the Internet).

The invention can be summarized in brief as follows: It is directed to an apparatus and to a method with which individualized printed products can be generated and printed.

The invention allows a person inexperienced in searching to compile information according to personal search terms, whereby the amount of information thereby determined is automatically adapted to the scope of the printed product previously defined by the user.

Without being confronted in detail with a search algorithm or data bank structures, the user can thus compile a personal book with a plurality of extracts.

The invention is particularly provided for application in the field of books having specialized subject matters since a broad spectrum of scientific data are already stored in electronically readable data banks. Further applications of the invention are the compilation of extracts in the field of belles lettres or the generation of a personal travel guide.

Although other modifications and changes may be suggested by those skilled in the art, it is the intention of the inventors to embody within the patent warranted hereon all changes and modifications as reasonably and properly come within the scope of their contribution to the art.

**DEVICE AND METHOD FOR PROCESSING AND PRINTING  
INFORMATION**

The invention is directed to a device and to a method for processing and printing information.

5 During the course of the progress of information technology, information are being made available in more and more different ways. What is probably the fastest development was accomplished given electronically stored information. Nonetheless, there continues to be a need to print information out. The present invention particularly relates to the need to get electronically stored information in  
10 high-performance fashion and to supply them to an interested party printed out easily and quickly.

A specific field has been created for this purpose, what is referred to as "Print on Demand" (PoD). In this field, for example, services are offered with which pocketbooks can be printed at specific print stations in response to an individual  
15 order. This method makes it possible that large editions of the books need not be printed and stored centrally and be delivered to the dealers from the central warehouse; rather, the dealer merely receives the information printed in the book in electronic form and prints this out with his print station. Since the dealer is usually located close to the final consumer, the dealer can offer the consumer an arbitrary  
20 book without keeping it in stock and can deliver it a short time later. For example, such a system is described under the title "Entwicklung neuer Medien-Konzepte für PoD-Dienstleister" in the periodical Deutscher Drucker No. 35/98 of 17 September 1998. Such systems also make it possible for the informational content of the pocketbooks or, respectively, for the corresponding data to be delivered to the print  
25 station via the Internet. For example, Xerox Corp. offers a corresponding service under the trademark "Xerox Book in Time".

Compared to conventional publishing and book retailing, the advantages of such PoD systems are that the costs for transporting the books over long distances are avoided and that no costs are incurred for warehousing the books, since the books  
30 are printed just-in-time on demand, small editions can be economically published, and

the number of books to be printed is independent of the size of the edition, so that an arbitrarily great number of books is printed given a corresponding demand.

Moreover, this means faster delivery for the customer since the electronic communication of the respective book content via data networks can ensue in a few minutes. This is particularly true of rarely ordered books.

A software program is known under the trademark HP Web PRINTSMART, whereby information from different Internet web sites can be read out or stored and printed out as a single document with a continuous format. With this program, for example, a user can compile his daily paper, which he fetches via the Internet and prints out on his printer. The special characteristic of this program is that web pages that are formatted for display at a picture screen are converted into a format suitable for the respective printer. This program merely reads information from web pages.

The information stored in the web page usually serves advertizing purposes and can thus serve only conditionally as an information source for a specific topic.

There are numerous electronic data banks that can cover general topics are that are specialized for specific fields, particularly occupations. Such data banks are usually only available to limited user circles who have contracted with the vendors of these data banks to the effect that they are allowed to use the data banks in exchange for a corresponding payment.

Even though enormous quantities of information are electronically stored and accessible via data networks, only selected and extremely limited circles have access to such information sources. It is thus hardly possible to get an overview of the electronically stored information for a specific topic of interest for someone who does not have such access to these information sources or who wants to be informed in a field outside his specific field.

DE 196 51 788 A1 discloses a method for data determination and editing in information networks such as, for example, the Internet. A targeted, time-saving search for arbitrary information is supposed to be possible with this method. This method is characterized by "intelligent" search engines that, for example, eliminate

redundant datasets, abort the search when the number of datasets exceeds a prescribed maximum, or a further search run is implemented when the plurality of identified relevant datasets is higher than this limit, whereby the user or the search program provides a further relevant search word and a second search run is started. In this method, the individual search passes are interactively implemented, as a result whereof the user respectively intervenes in the search.

DE 196 51 788 A1, further, discloses a training matrix with synonymous descriptors that enable a for descriptors having the same content after an unsuccessful search. In this method, for example, the user is automatically assisted by automatic suggestions of further search terms (descriptors) in order to carry out an optimally precise search, whereby the given maximum limit of datasets should not be exceeded.

"Das Patent Informationssystem PATIS", Dr. Volker Hartung and Dr. Klaus Strößner, German Patent and Trademark Office, May 1994, yields a search system for searching patents that comprises a data network, data terminals such as, for example, search stations, archive computers, control computers, etc. Given this search system, input masks can be employed for inputting the desired search terms.

Formulation aids for locating search terms for the data bank search with which search terms can be input into corresponding input masks are described in training documents for the patent information system DEPATIS, particularly pages 51 and 53.

The invention is based on the object of creating a device and a method for processing and printing information with even a user inexperienced with respect to data bank queries can get an overview about the electronically stored information for a specific topic, and the corresponding information are made available in the form of a print copy.

This object is achieved by a device having the features of claim 1 and by a method having the features of claim 8. Advantageous developments of the invention are recited in subclaims.

The inventive apparatus for processing and printing information comprises at least one information storage device, a search device for searching the information stored in the information storage device and a printer device that are all connected to

one another via a data network, whereby the search device comprises a search criterion module for inputting search terms and a printed copy scope module for determining the scope of the printed copy, so that a search is automatically implemented according to the criterion of the input search terms and of the determined scope of the printed copy.

Since the search device of the inventive apparatus has a search criterion module and a printed copy scope module with which the users defines the search terms and the scope of the print copy to be printed, the search device automatically carries out a search that collects enough information that the printed copy can be printed at the printer device in the predetermined scope.

This is a critical difference from known information search systems or, respectively, search devices, with which a search can in fact also be carried out according to given search criteria, whereby the scope of the search result is respectively defined only by the search criteria input by the user or is limited by a prescribed plurality of partial search results, whereby the scope of the individual partial search results is indefinite. With the known search systems or, respectively, search devices, all corresponding information should be determined insofar as possible according to the criterion of the input search terms, i.e. that as extensive as possible a search result is desired. In an interactive process using dexterous supplementation of the search terms, experienced searchers can reduce the quantity of data determined in this way to a manageable extent, so that the search result can both be evaluated by the party that requested it and a certain demand for completeness is met.

The invention embarks upon a completely different approach, for the inventive apparatus is not intended to carry out a search that meets all demand for exhaustiveness but is intended to enable access to electronically stored information for the user, who is usually not an experienced searcher, to compile this information in a scope and form that can be utilized by the user and print it as a printed copy, so that the user can interpret the information obtained in a customary way, namely by reading a printed copy that is usually bound to form a booklet or, respectively, book. This simplification compared to the known search devices is achieved in that the user

inputs his search terms into the search criterion module only once and defines the scope of the printed copy at the print copy scope module, and the search devices then independently carries [sic] out the search until an amount of information or, respectively, data having the desired scope is present. The definition of the scope of the printed copy means that the data quantity to be searched is fixed independently of the plurality of individual partial search results. As a result thereof, thus, the total amount of data to be found with a search is defined.

Different methods can be employed for limiting the amount of data. The simplest method is that the search event is aborted after a predetermined amount of data has been obtained.

Another, preferred method is that what is referred to as a match criterion is evaluated, this using a numerical value to indicate the hit precision of the search terms for the individual search results. The coincidence of the search terms with the identified, individual result is all the greater or, respectively, the search terms input by the user are cited all the more frequently in the respective individual result the higher the numerical value of the match criterion is. The individual results with the respectively highest match criterion are then incorporated into the printed copy, and individual results with a lower match criterion are not taken into consideration at all or are not incorporated as text but merely have their title and source incorporated into corresponding lists.

Another method for influencing the information quantity identified that can be automated is that the search device automatically determines whether the data quantity of a preliminary search result is too large or too small for the defined scope of the printed copy, whereby, given too small a data quantity, a further search that delivers a more exhaustive search result is automatically started with synonyms for the search criteria that have been input, and, given too large a data quantity of the preliminary search result, ambiguities of the search criteria are precluded, as a result whereof the data quantity obtained with the search is reduced.

The two latter methods can also be applied combined.

Other methods for influencing the searched informational scope are also possible. It is critical for the invention that information requested by a user according



to the user's search criteria and having a predetermined scope are made available in printed form to even a user inexperienced in searching, so that the user can easily interpret them.

- With the inventive method for processing and printing information
- 5 according to claim 8, the information stored in the information storage device or, respectively, devices are searched and printed out based on the criterion of the search terms prescribed by the user as well as based on the criterion of a scope of the printed product defined by the user.

- With the inventive method, as given the above-explained inventive
- 10 apparatus, the scope of the search result is defined according to the scope of the print copy defined by the user, as a result whereof it is possible -- even for a user inexperienced in searching -- to determine and print out a manageable data quantity with their predetermined search criteria.

- The invention is described in greater detail below on the basis of
- 15 exemplary embodiments and applied examples and on the basis of the drawings, which shows:

- Figure 1 a first exemplary embodiment of the apparatus for processing and printing information, shown schematically in a block circuit diagram;
- Figure 2 a second embodiment of the inventive apparatus for processing and
- 20 printing information, shown schematically in a block circuit diagram;
- Figure 3 a flowchart of the inventive method;
- Figure 4 a flowchart showing the searching of one embodiment in detail;
- Figure 5 a flowchart showing the searching of a further embodiment in detail;
- Figure 6 an input window for inputting the search terms;
- 25 Figure 7 an input window for inputting the scope of the print copy;
- Figure 8 an input window for inputting the design of the print copy;
- Figure 9 an input window for inputting the information needed for accounting;
- Figure 10 an input window for inputting the search terms in conformity with another embodiment.
- 30 Figure 1 schematically shows a block circuit diagram of an exemplary embodiment of the inventive apparatus for processing and printing information.

This apparatus comprises two search stations 1, three information stores 2 and a printing station 3. The search stations 1, information stores 2 and the printing station 3 are connected to one another via a data network 4.

5 The data network 4 can be the Internet, an Intranet or, for example, an arbitrary company network (local area network, LAN; wide area network, WAN) to which one or more information stores are connected.

The search stations 1 are usually personal computers connected to the data network 4 on which the search program of the inventive apparatus is installed.

The information stores are data stores connected to the data network 4.

10 They can contain the greatest variety of information such as, for example, web pages and/or data banks. Since web pages are mainly provided for advertizing purposes, they are only conditionally suited for gathering information. The informational content of data banks is usually significantly greater. There are data banks that are freely accessible to anyone. Most data banks, however, can only be used after

15 entering into a contract with the respective data bank vendor. For example, such data banks contain scientific articles of a field, patent information, articles from daily papers or economic data. The data banks that contain articles from daily papers have the advantage over a traditional newspaper that all articles published over a longer time span can be searched therein.

20 The printing station 3 comprises an accounting module 5, a formatting device 6 and a printer 7. Moreover, the printing station 3 can comprise further system components of a PoD system as described in the initially cited article, "Entwicklung neuer Medien-Konzepte für PoD-Dienstleister" in the periodical Deutscher Drucker No. 35/98 of 17 September 1998. The content of this publication is herewith

25 incorporated by reference into the present specification.

The operator of the printing station 3, for example a PoD service vendor, has entered into one or more agreements with the information vendors (data bank vendors) that allow him or, respectively, the customers authorized by the operator of the printing station 3 to use the data banks in the information stores 2. The

30 corresponding usage fees are usually based on the amount of data that has arisen and are forwarded from the operator of the printing station to the information vendors.

The operator of the printing station finances these fees by selling the printed copies to the users of the search stations 1. These accounts are handled with the accounting module 5, as explained in greater detail below.

The information incoming to the printing station 3 from the data network 4 are present in the greatest variety of formats (for example, IETF, W3C, PostScript, PDF, MS Word, etc.), particularly when the data network 4 is the Internet, these formats being converted by the formatting device 6 into a format suitable for the printer 7. Further, the formatting device 6 can format the print copy in conformity with the wishes of the user of the search station 1. This is explained in greater detail later. The accounting module 5 and the formatting device 6 can be realized as software modules on a computer integrated in the printing station 3.

For example, a duplex-compatible digital printer is provided as printer 7; this can be provided with a device for binding the printed copy. The printed copy can, for example, be held together with a spiral binding or a glued binding.

It is critical for the invention that the search station 1 comprises at least one search criterion module 8 and a print copy scope module 9. These two modules 8, 9 can be realized as computer programs installed at the search stations 1. A user inputs the respective search terms in accord wherewith searching should be carried out in the information stores 2 at the search criterion module 8. The user defines the scope of the print copy with the assistance of the print copy scope module 9, so that the search station can automatically implement a search, whereby the search result thereof has a scope corresponding to the desired print copy. The setting of the scope of the search result is explained in greater detail later.

The search stations 1 preferably comprise further modules such as, for example, a design module 10 with which the user can define the formatting and design of the print copy. These modules 8 through 10 are embedded into the search program installed at the search station 1 that automatically implements the search and the forwarding of the search result to the printing station 3, as explained below on the basis of the flowcharts shown in Figures 3 through 5.

Figure 3 shows the main program of the search station 1. After the start of the program, an access check is first implemented in a step S1, i.e. the user must input

a user identification assigned to him by the operator of the printing station 3 and, potentially, a password that the user himself has defined with which the user's authorization to use the search station 1 is documented.

After the end of the access check, an input window for inputting the search criteria is displayed at the picture screen of the search station 1. Such an input window is shown by way of example in Figure 6. The user can input a central title or, respectively, search term in this input window (step S2), this being "silkscreening" in the present example. This means that the user wants more detailed information about the topic "silkscreening".

In addition to this central search term, the user can input an author or, respectively, several authors, the language, the publication time and further rubrics. In the example shown in Figure 6, the author was not specified, German and English were selected as language and 1960 through 1998 was selected a publication time span. "Methods", "machines", "patents" have been input as further rubrics. These search terms thus define that the user wants German and English publications about the topic "silkscreening" from the 1960 through 1998 that relate to methods, machines and patents.

In the next step S3, the user inputs the scope of the print copy. The scope of the print copy can be defined, on the one hand, by a physical size of the print copy such as, for example, the maximum number of pages. Additionally or alternatively thereto, the scope of the printed copy can also be indirectly determined by defining the individual elements to be printed. For example, the plurality of text contributions and their length can thereby be defined or it can be indicated whether a table of contents, a list of authors, a list of publishers/ISBN numbers, a glossary, a list of titles, etc., should be recited in the print catalogue. Further, the user can indicate the way in which special publications such as, for example, patents, are to be incorporated in the print copy or whether image contents are to be presented. Given the input mask shown in Figure 7, the user has undertaken the following selection: the number of authors is limited to a maximum of twenty; the number of publications is limited to a maximum of fifty; a maximum of ten text contributions with a maximum of 500 lines is to be incorporated; only the titles and owners of patents are to be incorporated and

only the captions are to be indicated for images. Further, a table of contents, list of authors, list of publishers and table of titles are to be set up. The overall scope is limited to a maximum of five hundred lines.

In the following step S4, the user inputs the design or, respectively, the format of the print copy. A corresponding input window is shown in Figure 8. Here, the user can define the format, the binding, the paper and specify whether a title page is to be output and what type of title page is selected. In the present example, the user has selected DIN A4 duplex as format, spiral binding as binding and 80 g/m<sup>2</sup> white as paper. Further, a personalized title page is to be output.

The input is ended with the step S5. In step S5, the user inputs accounting-relevant data such as ordering and delivery address, the delivery time, potentially a cost limit and the type of payment. In the present case, the address is Mr. A. Sampleman, Example Street 11, 4711 Sample Town, 19 September 1998 as delivery time and DM 100 as cost limit have been input. A payment with a credit card 12345 was selected as type of payment.

After the end of the input, the program execution switches to the next step S6 with which the search is automatically implemented. A search program that is explained later is thereby started. The search program queries the individual information stores (web pages, data banks, etc.) on the basis of the search terms input by the user in that it sends the search terms input by the user together with a corresponding logical operation (and, or, not) to the individual information stores in a form that can be read by the individual information stores. The information stores search their database after receipt of these search terms and respectively send the individual search results together with a corresponding cost information to the search station 1 that has send the search terms.

In step S7, the data incoming at the search station 1 are interpreted and, given a successful search, i.e. when adequate information have ben found, the user receives a particular about the height of the anticipated costs for the print copy. These costs are calculated on the basis of the cost information incoming from the information stores, whereby the costs for producing and delivering the finished print copy are also taken into consideration.

Subsequently, the user can confirm the order in step S8. With the order confirmation, the operator of the printing station 3 is given the order to print and deliver the searched print copy. Since costs are generated with the order confirmation S8, it is expedient to link these to a password, so that it is assured that an unauthorized party cannot give a corresponding print order. When no order confirmation is input or the order confirmation is refused, then the program run is ended.

When the search is not successful, i.e. enough information has not been determined, the message that the search was unsuccessful is output in step S7 instead of a cost message. The user can then input a new search.

When the order is confirmed in step S8, then the searched information are sent from the search station 1 to the printing station 3 via the data network 4 in step S9. These information contain all data to be printed in the print copy and the data necessary for the billing of the print copy such as, for example, ordering party, costs for the use of the information stores, payment mode and the like.

With the step S10, the accountings between the operator of the printing station and the operator of the information stores and the accounting between the operator of the printing station and the user are produced on the basis of the billing data that are transmitted.

Subsequently, the identified search results are formatted and designed in step S11 in the way requested for the print copy. This comprises, first, the generation of lists such as, for example, table of contents, list of authors, etc., the arrangement of the text contributions and the production of a title page, and, second, the conversion of the print formats that the data incoming at the printing station 3 exhibit into a format suitable for the printer 7.

The print copy is printed in step S12 and bound in step S13. The inventive method for processing and printing information has thus been ended, and the print copy can be delivered to the user or, respectively, to the party that ordered it. In another embodiment of the invention, the book is automatically packaged in a packing station after being bound and is handed over to a shipping system. During packaging, the delivery address input by the user is automatically printed as shipping address.

In a further modification of the invention, the information printed out in the book (or a user-specifically selectable display thereof) can be sent to the user in advance by e-mail, so that the user can get a first impression of the identified information.

- 5           Given the applied examples shown in the drawings, the party placing the order receives a book with spiral binding in a duplex method about the topic "silkscreening" that comprises publications from the years 1960 through 1998 in German and English for the rubrics "methods", "machines" and "patents". A maximum of ten text contributions with a maximum length of five hundred lines are  
10   printed in the book and a maximum of fifty publications are included. Further, the book contains a table of contents, a list of authors, a list of publishers and a table of title. The reader of this book can thus get an initial overview of the development in the field of silkscreening in the years from 1960 through 1998. Since the text contributions are limited to five hundred lines, they are usually not printed complete.  
15   The reader can easily get the complete publication on the basis of the list of publishers in case the reader finds based on the passage presented in the individualized book that this contribution is of interest.

- Given the above-described method, the individual results are completed transmitted to the search station 1 in step S6 in the implementation of the search.  
20   Given an alternative embodiment, only a message containing the scope of the search result, a corresponding cost information and, potentially, further information characterizing the search result such as, for example, a match criterion can be communicated from the information stores 2 to the search station 1 instead of the complete transmission of the individual results and without transmitting the actual,  
25   communicated information. In this modification of the method, the complete information or, respectively, printing information are sent to the printing station 3 directly from the information stores 2 only after the confirmation of the order S8 in the step S9. Given this method, the information stores 2 thus output the complete information only after the order had been confirmed in step S8.

- 30           This method is particularly expedient given usage of data banks wherein the fees are due with the issuing of the information since these are only fetched when

it has been clearly decided that the print copy is to be printed. The setting of the scope of the search that is to ensue in step S6 to the scope of the printed product defined by the user ensues most simply by not considering the incoming information after the maximum scope of the search or, respectively, the maximum scope for the printed product has been exhausted.

Instead of such a simple method, wherein important information are often not taken into consideration, a limitation of the scope of the search can ensue according to the search program shown in Figure 4. This search program is a sub-program for the main program shown in Figure 3 that is called in step S6.

With this sub-program, the individual information stores are first interrogated in step S14 according to the search terms input by the user. The individual results returned from the information stores 2 to the search station 1 are evaluated in the step S15, and a "match criterion" of the individual results is defined. The match criterion indicates the hit precision, i.e. the numerical value of the match criterion is proportional to the plurality of the search terms contained in the individual results or, respectively, proportional to the plurality of the frequency of occurrence of the search terms in the individual results.

The individual results are sorted according to the match criterion in the step S16. The final search result is compiled in the step S17, whereby the individual results with the best match criterion are selected until the scope of the search prescribed by the defined scope of the print copy has been completely exhausted. The final search result thus contains the individual results that match best with the given search terms. As a result thereof, only the less applicable individual results are eliminated, and the more applicable individual results are printed out in the print copy.

Figure 5 shows a further flowchart of a search program that can be executed instead of or in combination with the search program shown in Figure 4. This search program is in turn called as sub-program in the step S6 of the main program. First, the individual information stores are again interrogated in step S18 for the search terms provided by the user. The size, i.e. the amount of data, of all individual results identified in step S18 is determined in step S19.



A determination is made in step S20 whether the identified amount of data is greater than an upper limit value of the search scope. The upper limit value of the search scope derives from the defined scope of the print copy. When the amount of data of the identified search results is greater than the upper limit value, then the program run switches to the step S21, with which ambiguities in the search terms are precluded. When, for example, one of the search terms is "bank", then this search term can be linked to further terms typical of "financial service providers", so that it is assured that the search result does not contain any "bank" in the sense of a river bank or the like. The information stores are interrogated again with the search terms modified in this way, i.e. the program execution goes back to step S18.

When it is found in the determination as to whether the amount of data of the search results identified in the search is not greater than the upper limit value, then the program execution switches to the step S22, wherein a query is made as to whether the amount of data of the search results is smaller than a lower limit of the search scope defined by the scope of the print copy. When it is found in the query in step S22 that the amount of data of the search results is smaller than this lower limit value, then the program execution switches to the step S23, wherein synonyms are added to the search terms. As a result thereof, the number of search terms is expanded and the entire search is placed on a broader base. The information stores are interrogated again with these expanded search terms, i.e. the program run returns to the step S18.

When it is found in step S22 that the amount of data of the search result is greater than the lower limit value for the search scope determined by the defined scope of the print copy, this means that the amount of data of the search result lies in the desired range, so that this search program is ended.

Due to the exclusion of ambiguities in step 21, individual results of a search can be eliminated, as a result whereof the scope of the search decreases. Due to the addition of synonyms to the search terms, further, desired individual results can be determined, as a result whereof the amount of data of the search result is increased. As a result thereof, the search result can be automatically set to a desired quantity of data. Preferably, the limit values applied in steps S20 and S22 cover a specific range,

whereby the lower limit value of the step S22, for example, is 10% lower than the upper limit value of the step S20.

The search programs shown in Figures 4 and 5 substantially enhance the quality of the search without a necessity of the user interactively intervening in the search. The only interaction that the user must carry out is to confirm the order in step S8. As a result thereof, it is possible for even a user who is inexperienced in searching to implement a search with appealing quality in different information stores, particularly in different data banks, whereby the search result is output at the same time as a print copy in a form that is surveyable and can be easily interpreted by the user. For this purpose, the user needs neither general experience in searching nor knowledge of the individual data banks as needed given a manual search. The inventive method thus simply allows a compilation of individualized information and printing of this information to form a print copy such as, for example, a perfect-bound book.

The inventive method and the inventive apparatus are preferably applied for producing individualized books with specialized subject matters, since an extensive database is already stored therefor and can be fetched via data networks.

The invention, however, is not limited to this application; rather, extracts, for example from belles lettres, can be individually compiled and printed.

Another area of employment is, for example, the compilation of an individualized travel guide. Such a travel guide can be produced, for example, in that the destination area is input as main search term in the search criteria and the corresponding interests such as, for example, in the areas of culture, sports, etc., are input as further rubrics. It can be expedient in the compilation of such a travel guide that a query possibility for what are referred to as "one-time" information is created in the search criteria, i.e. for example information that are requested only once such as, for example, a map of the travel destination. The multiple printing of these information, even when they derive from different information stores, is usually undesired since, for example, the user needs only one map. Further typical one-time information are, for example, a list of physical characteristics or a standard table.

The invention is not limited to the above-described exemplary embodiments. Within the scope of the invention, for example, it is possible to provide a single search station 1 that is arranged in the printing station 3 (Figure 2). Such an arrangement is expedient when the operator of the printing station  
5 implements the search as a service for his customers at the same time, i.e. makes the inputs that are necessary for the implementation of the search.

The invention is also not limited to the input masks shown in Figures 6 through 9. Figure 10, for example, shows a further input mask for the input of the search criteria and search terms. This input mask comprises fields 11 for search  
10 criteria and fields 12 for search terms. Respectively one field 11 for a search criterion is allocated to a field for a search term. Given the input mask shown in Figure 10, respectively four fields 11 for search criteria and four fields for search terms 12 are provided. Triangular pointers with which lists of the possible search criteria can be called are provided at the left edge of the fields 11 for the search criteria. These lists  
15 of search criteria comprise, for example, the search criteria of title, central search term, author, language, publication date, key words, etc. The search criteria can thus be defined with the fields 11, the individual search terms then being input therefor in the fields 12. The search terms input into the fields 12 are fundamentally operated with a logical "and". Sometimes, however, it can be expedient to operate two or more  
20 search terms with a logical "or". A further field 14 is provided for this purpose, the number of the other search term with which the respective search term is to be operated with an "or" being entered thereinto. This type of input mask is very flexible and can be utilized in all applied examples of the present invention. It is thereby clear that other known logical operations such as, for example, "NEAR" are also  
25 employable.

The description of program modules that a person skilled in the art obviously knows must be present has been omitted from the above description of the inventive exemplary embodiments, for example a program module that sets up the connection between the data network 4 and the individual stations 1 through 3.

The areas of employment of the present invention can be modified in a great variety of ways. Thus, for example, it is possible that the inventively produced,

individualized printed products are financed by inserting advertizing into the printed copy. For example, blank pages or blank columns can be automatically added to the printed text for personal notes.

Instead of or in addition to the above-described search criteria (see, for example, Figure 6), other search criteria can also be offered and selected, for example the type of publication such as news, business reports, studies, scientific publications, conference reports, newspaper articles, books, brochures, published patent applications (A), letters patent (C) and/or other suitable kinds of publication. It can also be provided that successive searches of one and the same user are interpreted by the search device or, respectively, by the search program (software), and that the operator is provided with instructions for formatting the search inquiry. A simple example of such support is the storing of all earlier search profiles and the offering of these earlier profiles given a new search. The support can go so far that the search program interactively queries the search criteria from the user, whereby further queries ensue dependent on an input. When, for example, the type of literature "patent publication" is sought, then an interactive query can be carried out as to whether the search is for "granted patents", for "published patent applications" or "unspecified".

The inventive method can, further, be supported by a search expert system that in turn comprises an autonomous program (software) as well as a special data bank. In particular, the expert system can be utilized for the exclusion of the ambiguities (step S21) described in Figure 5. When banks in the sense of financial services providers are asked for in the above-described example, then the expert system consults typical financial expressions such as "money", "stock exchange", "stock share". When a publication contains at least one of the stored, typical concepts, then the publication is selected; otherwise, it is rejected.

Further logical reviews of the articles can ensue in addition to such topic-specific terms deposited in the expert system; for example, the expert system can automatically select certain information stores (data banks) that are deposited as relevant for the aggregate topic that has been optimally input by the user (for example, financial services or travel or electronics or mechanical engineering).

The described software programs of the invention can be stored on known data carriers such as diskettes, magnetic tapes, CD ROMs, ROM memories, EPROM memories or the like or, as datafiles, can be rerecorded from such stores, for example from a hard disk, onto a different storage medium via a data network (for example, via the Internet).

The invention can be summarized in brief as follows: It is directed to an apparatus and to a method with which individualized printed products can be generated and printed.

The invention allows a person inexperienced in searching to compile information according to personal search terms, whereby the amount of information thereby determined is automatically adapted to the scope of the printed product previously defined by the user. Without being confronted in detail with a search algorithm or data bank structures, the user can thus compile a personal book with a plurality of extracts.

The invention is particularly provided for application in the field of books having specialized subject matters since a broad spectrum of scientific data are already stored in electronically readable data banks. Further applications of the invention are the compilation of extracts in the field of belles lettres or the generation of a personal travel guide.

**List of Reference Characters**

	1	search station
	2	information store
	3	printing station
5	4	data network
	5	accounting module
	6	formatting device
	7	printer
	8	search criterion module
10	9	print copy scope module
	10	design module
	11	field for the search criterion
	12	field for the search term
	13	pointer
15	14	field for OR operation

**Method Steps**

	S1	access check
	S2	input of the search terms
	S3	input of the scope of the print copy
20	S4	input of the design or, respectively, of the format of the print copy
	S5	input of accounting data
	S6	search
	S7	output of the cost message
	S8	order confirmation
25	S9	sending the information from the search station to the printing station
	S10	billings
	S11	design and formatting of the search result
	S12	printing
	S13	binding
30	S14	interrogation of the individual information stores

- S15 determination of the match criteria of the individual results
- S16 sorting the individual results according to the match criterion
- S17 compiling the final search result
- S18 interrogating the individual information stores
- 5 S19 determination of the data quantity of the search result
- S20 is the data quantity of the search result greater than an upper limit value?
- S21 exclusion of ambiguities
- S22 is the data quantity of the search below a lower limit value?
- S23 adding synonyms to the search terms

**Patent Claims**

1. Device for processing and printing information, comprising

- one or more information storage devices;
- at least one search device (1) for searching the information stored in the information storage device or devices (2);
- a printer device (3) for printing a printed copy that contains the information identified by the search device (1), whereby the information storage device or devices (2), the search device (1) and the printer device (3) are connected to one another via a data network (4), and the search device (1) comprises a search criterion module (8) for the input of search terms and a print copy scope module (9) for defining the scope of the print copy, so that the search can be implemented according to the criterion of the search terms that have been input and the given scope of the print copy.

2. Device according to claim 1, whereby a formatting device (6) for formatting the information identified with the search device (1) for the printout at the printer device (7) [...].

3. Device according to claim 2, whereby the printer device is fashioned as printing station (3) in which the formatting device (6) and a printer (7) are integrated.

4. Device according to claim 3, whereby the printing station (3) comprises an accounting module (5) for billing the usage fees for the use of the information stores.

5. Device according to one of the claims 1 through 4, whereby the data network (4) is the Internet or an Intranet.

6. Device according to one of the claims 1 through 4, whereby the data network (4) is an area network.



7. Device according to one of the claims 1 through 6, whereby at least one of the information stores (2) contains a data bank.

8. Method for processing and printing information that comprises the following steps:

- searching the information at a search station (1) that is connected via a data network (4) to one or more information storage devices (2);
  - formatting the searched information in a form suitable for a printer device (3);
  - printing the information at the printer device (3) for produce a printed product, whereby
- 10 the information stored in the information storage device (2) or in the information storage devices (2) are searched according to the criterion of search terms prescribed by the user as well as according to a scope of the print product defined by the user.

9. Method according to claim 8, whereby a lower and an upper limit value for the data quantity to be searched is defined according to the criterion of the defined scope of the print product; and
- 15 the searched data quantity is set such that it lies between the two limit values.

10. Method according to claim 9, whereby the lower limit value is approximately 10% through 20% smaller than the upper limit value.

11. Method according to claim 8 or 10, whereby, following implementation of the search at the search station (1), a cost message about the anticipated costs of the print copy is output (S7), whereupon the user can confirm an order (S8).
- 20

12. Method according to one of the claims 8 through 11, whereby the print copy is bound (S13).

13. Method according to one of the claims 8 through 12, whereby the scope of the search defined by the scope of the print product is set such that further search results
- 25

identified after complete exhaustion of the search scope are not taken into consideration.

14. Method according to one of the claims 8 through 13, whereby match criteria of the individual results are determined in the search event, said match criteria being  
5 proportional to the hit precision, whereby the individual results having a low match criterion are not taken into consideration in the compilation of the final search result.

15. Method according to one of the claims 8 through 14, whereby ambiguities of the search terms are automatically excluded in the search event in order to achieve a search with a small data quantity or synonyms of the search terms are taken into  
10 consideration for achieving a larger data quantity of the search result.

16. Method according to one of the claims 8 through 15, whereby, following an interrogation of the information stores with the given search terms, the identified search results are sent completely from the information stores to the search station (1) from which the interrogation was generated.

17. Method according to claim 16, whereby the search results are evaluated in the search station (1), i.e. that, for example, their data quantity, the match criteria and the like are identified.  
15

18. Method according to one of the claims 8 through 15, whereby, following the interrogation of the individual information storage devices (2) with the search terms  
20 prescribed by the user, the information storage device (2) send [sic] a message to the search station (1) by which the search had been generated, whereby the message contains a particular about the identified data quantity, the anticipated costs and/or a match criterion for the individual results, but the information to be printed are not contained therein.

19. Method according to claim 18, whereby, after an order confirmation (S80 has been placed, the print information are sent directly from the information storage device (2) to the printer device (3).

20. Method according to one of the claims 8 through 19, whereby an input mask that  
5 comprises a plurality of pairs of fields is displayed at the search station for inputting the search terms, whereby the search criterion can be input in one field of the pairs of fields, and the search term for the input search criterion can be input in the other of the two fields.

21. Method according to claim 20, whereby the fields of the search terms are  
10 fundamentally operated with a logical "and" operation, and at least one further fields is provided with which the logical "and" operation can be modified into a logical "or" operation.

1/10




FIG. 1

2/10




FIG.2

3/10




FIG.3

4/10




FIG.4

5/10




FIG.5



6/10

Suchkriterien	
Titel/Suchbegriffe:	<input type="text" value="Siebdruck"/>
Autoren: Name:	<input type="text" value="- nicht spezifiziert -"/>
Sprache:	<input type="text" value="deutsch/englisch"/>
Veröffentlichungen:	<input type="text" value="1960 - 1998"/>
Stichwörter:	<input type="text" value="Verfahren, Maschinen, Patente"/>

FIG.6

0937845, 012607

7/10

Umfang des Druckexemplars		
Inhaltsverzeichnis:	<input checked="" type="radio"/> ja	<input type="radio"/> nein
Autorenverzeichnis:	<input checked="" type="radio"/> ja	<input type="radio"/> nein
Verlegerverzeichnis/ISBN-Nr.:	<input checked="" type="radio"/> ja	<input type="radio"/> nein
Glossar:	<input type="radio"/> ja	<input checked="" type="radio"/> nein
Titelverzeichnis:	<input checked="" type="radio"/> ja	<input type="radio"/> nein
Gesamtumfang:	max. <input type="text" value="500"/>	Seiten
Anzahl der Autoren:	max. <input type="text" value="20"/>	
Anzahl der Veröffentlichungen:	max. <input type="text" value="50"/>	
Textbeiträge:	Anzahl: max. <input type="text" value="10"/>	
	Länge: max. <input type="text" value="500"/>	Zeilen
Patente:	<input type="text" value="Titel und Inhaber"/>	
Bildinhalte:	<input type="text" value="nur Titel"/>	

FIG.7

8/10

Gestaltung	
Format:	A4 duplex
Bindung:	Spiralbindung
Papier:	80g/m <sup>2</sup> , weiß
Titelblatt:	<input checked="" type="checkbox"/> ja personalisiert

FIG.8

09/937845\_012602

9/10

Abrechnung	
Bestell- und Lieferadresse:	<div>Hr. A. Mustermann Beispielstraße 11 4711 Musterstadt</div>
Liefertermin:	19.09.1998
Kostenlimit:	DM 100.-
Abrechnung:	Kreditkarte 12345

FIG.9

10/10




FIG.10

99 04 01 PUS

**DECLARATION AND POWER OF ATTORNEY FOR PATENT APPLICATION**  
**ERKLÄRUNG FÜR PATENTANMELDUNGEN MIT VOLLMACHT**  
**German Language Declaration**

Als nachstehend benannter Erfinder erkläre ich hiermit an Eides Statt:

dass mein Wohnsitz, meine Postanschrift, und meine Staatsangehörigkeit den im Nachstehenden nach meinem Namen aufgeführten Angaben entsprechen,

dass ich, nach bestem Wissen der ursprüngliche, erste und alleinige Erfinder (falls nachstehend nur ein Name angegeben ist) oder ein ursprünglicher, erster und Miterfinder (falls nachstehend mehrere Namen aufgeführt sind) des Gegenstandes bin, für des dieser Antrag gestellt wird und für den ein Patent beantragt wird für die Erfindung mit dem Titel:

VORRICHTUNG UND VERFAHREN ZUM  
VERARBEITEN UND DRUCKEN VON  
INFORMATIONEN

deren Beschreibung

(zutreffendes ankreuzen)

☐ hier beigelegt ist.

☒ 10m 31 March 2000 als  
PCT internationale Anmeldung  
PCT Anmeldungsnummer PCT/EP00/02990  
eingereicht wurde und am  
abgeändert wurde (falls tatsächlich abgeändert)

Ich bestätige hiermit, dass ich den Inhalt der obigen Patentanmeldung einschliesslich der Ansprüche durchgesehen und verstanden habe, die eventuell durch einen Zusatzantrag wie oben erwähnt abgeändert wurde.

Ich erkenne meine Pflicht zur Offenbarung irgendwelcher Informationen, die für die Prüfung der vorliegenden Anmeldung in Einklang mit Absatz 37, Bundesgesetzbuch, Paragraph 1.56(a) von Wichtigkeit sind, an.

Ich beanspruche hiermit ausländische Prioritätsvorteile gemäss Abschnitt 35 der Zivilprozessordnung der Vereinigten Staaten, Paragraph 119 aller unten angegebenen Auslandsanmeldungen für ein Patent oder eine Erfindersurkunde, und habe auch alle Auslandsanmeldungen für ein Patent oder eine Erfindersurkunde nachstehend gekennzeichnet, die ein Anmeldedatum haben, das vor dem Anmeldedatum der Anmeldung liegt, für die Priorität beansprucht wird.

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name,

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled

the specification of which

(check one)

☐ is attached hereto

☐ was filed on \_\_\_\_\_ as  
PCT international application  
PCT Application No. \_\_\_\_\_  
and was amended on \_\_\_\_\_  
(if applicable)

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to the examination of this application in accordance with Title 37, Code of Federal Regulations, §1.56(a).

I hereby claim foreign priority benefits under Title 35, United States Code, §119 of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

# German-Language Declaration

Prior foreign applications  
Priorität beansprucht

<u>199 15 041.9</u>	<u>Germany</u>	<u>1 April 1999</u>
(Number)	(Country)	(Day Month Year Filed)
(Nummer)	(Land)	(Tag Monat Jahr eingereicht)
<hr/>		
(Number)	(Country)	(Day Month Year Filed)
(Nummer)	(Land)	(Tag Monat Jahr eingereicht)

Priority Claimed

<input checked="" type="checkbox"/>	<input type="checkbox"/>
Yes	No
Ja	Nein
<hr/>	
<input type="checkbox"/>	<input type="checkbox"/>
Yes	No
Ja	Nein

Ich beanspruche hiermit gemäss Absatz 35 der Zivilprozessordnung der Vereinigten Staaten, Paragraph 120, den Vorzug aller unten aufgeführten Anmeldungen und falls der Gegenstand aus jedem Anspruch dieser Anmeldung nicht in einer früheren amerikanischen Patentanmeldung laut dem ersten Paragraphen des Absatzes 35 der Zivilprozessordnung der Vereinigten Staaten, Paragraph 122 offenbart ist, erkenne ich gemäss Absatz 37, Bundesgesetzbuch, Paragraph 1.56(a) meine Pflicht zur Offenbarung von Informationen an, die zwischen dem Anmeldedatum der früheren Anmeldung und dem nationalen oder PCT internationalen Anmeldedatum dieser Anmeldung bekannt geworden sind.

I hereby claim the benefit under Title 35, United States Code, §120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, §122 I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, §1.56(a) which occurred between the filing date of the prior application and the national or PCT International filing date of this application.

(Application Serial No.)  
(Anmeldeseriennummer)

(Filing Date)  
(Anmeldedatum)

(Status)  
(patentiert, anhängig,  
aufgegeben)

(Status)  
(patented, pending,  
abandoned)

(Application Serial No.)  
(Anmeldeseriennummer)

(Filing Date)  
(Anmeldedatum)

(Status)  
(patentiert, anhängig,  
aufgegeben)

(Status)  
(patented, pending,  
abandoned)

Ich erkläre hiermit, dass alle von mir in der vorliegenden Erklärung gemachten Angaben nach meinem besten Wissen und Gewissen der vollen Wahrheit entsprechen, und dass ich diese eidesstattliche Erklärung in Kenntnis dessen abgebe, dass wissenschaftlich und vorsätzlich falsche Angaben gemäss Paragraph 1001, Absatz 18 der Zivilprozessordnung der Vereinigten Staaten von Amerika mit Geldstrafe belegt und/oder Gefängnis bestraft werden koennen, und dass derartig wissenschaftlich und vorsätzlich falsche Angaben die Gültigkeit der vorliegenden Patentanmeldung oder eines darauf erteilten Patentes gefährden können.

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true, and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

# German Language Declaration

VERTRETUNGSVOLLMACHT: Als benannter Erfinder beauftrage ich hiermit den nachstehend benannten Patentanwalt (oder die nachstehend benannten Patentanwälte) und/oder Patent-Agenten mit der Verfolgung der vorliegenden Patentanmeldung sowie mit der Abwicklung aller damit verbundenen Geschäfte vor dem Patent- und Warenzeichenamt: (Name und Registrationsnummer anführen)

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith. (list name and registration number)

And I hereby appoint all Attorneys identified by United States Patent and Trademark Office customer number 26574, who are all members of the firm of Schiff Hardin and Waite.

Telefongespräche bitte richten an:  
(Name und Telefonnummer)

Direct Telephone Calls to: (name and telephone number)

312/258-5785

Postanschrift:

Send Correspondence to:

**SCHIFF HARDIN & WAITE**  
**Patent Department**  
**6600 Sears Tower, Chicago, Illinois 60606**

**CUSTOMER NUMBER 26574**

Voller Name des einzigen oder ursprünglichen Erfinders: <b>Manfred WIEDEMER</b>		Full name of sole or first inventor:	
Unterschrift des Erfinders <i>Manfred Wiedemer</i>	Datum <i>10/8/01</i>	Inventor's signature	Date
Wohnsitz <b>Ismaning, Germany</b>		Residence	
Staatsangehörigkeit <b>German</b>		Citizenship	
Postanschrift <b>Camerloherstr. 45</b>		Post Office Address	
<b>D-85737 Ismaning, GERMANY</b> <i>DEX</i>			

(Bitte entsprechende Informationen und Unterschriften im Falle von weiteren Miterfindern angeben).

(Supply similar information and signature for subsequent joint inventors).